

Revision date: 12-Mar-2014 Version: 2.0 Page 1 of 10

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Escherichia Coli Bacterin

Trade Name: LitterGuard®; LitterGuard®LT

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

2. HAZARDS IDENTIFICATION

Appearance: Liquid solution

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Signal Word: Not Classified

Other Hazards

Short Term: May cause eye and skin irritation. May cause allergic skin reaction . In the event of accidental

injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be

removed to the nearest emergency room and the appropriate therapy instituted.

Australian Hazard Classification

(NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which

require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

Material Name: Escherichia Coli Bacterin Page 2 of 10
Revision date: 12-Mar-2014 Version: 2.0

TOTISION date. 12 mai 2017

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 3 (H331)	<0.1
Merthiolate (as mercury)	54-64-8	200-210-4	T+; R26/27/28 R33 N; R50/53	Acute Tox. 2 (H330) Acute Tox. 2 (H310) Acute Tox. 1 (H300) STOT RE 2 (H373) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	##

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Escherichia coli	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Aluminum hydroxide	21645-51-2	244-492-7	Not Listed	Not Listed	*
Water, purified	7732-18-5	231-791-2	Not Listed	Not Listed	90

Additional Information: * Proprietary ## Trace.

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get

medical attention.

Skin Contact: Wash skin with soap and water. If irritation occurs or persists, get medical attention.

Ingestion: Get medical attention. Do not induce vomiting unless directed by medical personnel. Never

give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention

immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Material Name: Escherichia Coli Bacterin

Page 3 of 10

Revision date: 12-Mar-2014 Version: 2.0

Symptoms and Effects of

No data available

Exposure:

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

Collecting: area thoroughly.

Additional Consideration for Non-essential personnel should be evacuated from affected area. Report emergency

Large Spills: situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

When handling, use proper personal protective equipment as specified in Section 8. Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid accidental injection. Releases to the environment should be avoided.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store under refrigeration in closed container.

Storage Temperature: 2-7°C

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Material Name: Escherichia Coli Bacterin Page 4 of 10
Revision date: 12-Mar-2014 Version: 2.0

TOTAL MULE 12 MULE 2014

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Formal	dehyde
---------------	--------

ACGIH Ceiling Threshold Limit: 0.3 ppm **ACGIH - Sensitizer Designation** Sensitizer **Australia STEL** 2 ppm 2.5 mg/m³ Australia TWA 1 ppm 1.2 mg/m³ Austria OEL - MAKs 0.5 ppm 0.6 mg/m³ **Bulgaria OEL - TWA** 1.0 mg/m³ Czech Republic OEL - TWA 0.5 mg/m³ Estonia OEL - TWA 0.5 ppm 0.6 mg/m³ **Finland OEL - TWA** 0.3 ppm 0.37 mg/m³ France OEL - TWA 0.5 ppm Germany (DFG) - MAK 0.3 ppm 0.37 mg/m³ no irritation should occur during mixed exposure **Greece OEL - TWA** 2 ppm 2.5 mg/m³ 0.6 mg/m³ **Hungary OEL - TWA Ireland OEL - TWAs** 2 ppm 2.5 mg/m³ Japan - OELs - Ceilings 0.2 ppm 0.24 mg/m³ Latvia OEL - TWA 0.5 mg/m³ Lithuania OEL - TWA 0.5 ppm 0.6 mg/m³ **Netherlands OEL - TWA** 0.15 mg/m^3 **Vietnam OEL - TWAs** 0.5 mg/m^{3}

 Vietnam OEL - TWAs
 0.5 mg/m³

 OSHA - Final PELS - TWAs:
 0.75 ppm

 OSHA - Specifically Regulated Chemicals
 2 ppm

 0.5 ppm
 0.75 ppm

 0.75 ppm
 0.75 ppm

 0.5 mg/m³
 0.5 mg/m³

 Switzerland OEL -TWAs
 0.37 mg/m³

 0.37 mg/m³
 0.3 ppm

 0.37 mg/m³
 0.37 mg/m³

Aluminum hydroxide

 ACGIH Threshold Limit Value (TWA)
 1 mg/m³

 Austria OEL - MAKs
 5 mg/m³

 Germany (DFG) - MAK
 4 mg/m³

 1.5 mg/m³

 Latvia OEL - TWA
 6 mg/m³

Material Name: Escherichia Coli Bacterin Page 5 of 10
Revision date: 12-Mar-2014 Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

 Lithuania OEL - TWA
 6 mg/m³

 Poland OEL - TWA
 2.5 mg/m³

 1.2 mg/m³

 Slovakia OEL - TWA
 1.5 mg/m³

 Switzerland OEL -TWAs
 3 mg/m³

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Hands: Wear impervious gloves if skin contact is possible.

Eyes: Safety glasses or goggles

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate

respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:Liquid solutionColor:No data available.Odor:No data available.Odor Threshold:No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility: No data available Water Solubility: No data available

Solubility: Soluble: Water (based on components)

pH: 7.0 +/- 1.5

Melting/Freezing Point (°C): No data available

Boiling Point (°C): >100

Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available

Vapor Pressure (kPa): Expected to be negligible

Vapor Density (g/ml):No data availableRelative Density:No data availableSpecific Gravity:1.0 +/-0.2Viscosity:No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

Polymerization:

No data available
No data available
Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available

Material Name: Escherichia Coli Bacterin Page 6 of 10
Revision date: 12-Mar-2014 Version: 2.0

Revision date: 12-Mar-2014 Version: 2.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do

not freeze.

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Hazardous Decomposition

Products:

None expected under normal conditions.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Merthiolate (as mercury)

Rat Oral LD50 75 mg/kg

Rat Subcutaneous LD50 98mg/kg

Formaldehyde

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Merthiolate (as mercury)

Eye Irritation Rabbit Mild

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs

9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Material Name: Escherichia Coli Bacterin

Revision date: 12-Mar-2014

Page 7 of 10

Version: 2.0

Revision date. 12-Mai-2014

11, TOXICOLOGICAL INFORMATION

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: None of the components present in this material at concentrations equal to or greater than

0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)
NTP: Known Human Carcinogen

OSHA: Listed

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties of the formulation have not been investigated. This product contains

trace quantities of mercury, releases to the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: This product contains trace quantities of mercury and may qualify as a RCRA Hazardous

Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP). Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

Formaldehyde

RCRA - U Series Wastes Listed

Material Name: Escherichia Coli Bacterin Page 8 of 10 Revision date: 12-Mar-2014 Version: 2.0

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

None required

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

100 lb

Formaldehyde

CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances	100 l b
and their Reportable Quantities:	45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous	500 l b
TPQs	

CERCLA/SARA - Section 302 Extremely Hazardous

Substances EPCRA RQs

California Proposition 65 carcinogen initial date 1/1/88 gas

OSHA - Specifically Regulated Chemicals 2 ppm 0.5 ppm 0.75 ppm

Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present Standard for the Uniform Scheduling Schedule 2 for Drugs and Poisons: Schedule 6 **EU EINECS/ELINCS List** 200-001-8

Merthiolate (as mercury)

CERCLA/SARA 313 Emission reporting Not Listed California Proposition 65 Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 200-210-4

Escherichia coli

Not Listed **CERCLA/SARA 313 Emission reporting** Not Listed **California Proposition 65**

Material Name: Escherichia Coli Bacterin Page 9 of 10
Revision date: 12-Mar-2014 Version: 2,0

15. REGULATORY INFORMATION

EU EINECS/ELINCS List Not Listed

Aluminum hydroxide

Water, purified

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the

Not Listed

Not Listed

Present

Present

obligations of Register:
EU EINECS/ELINCS List 231-791-2

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed Acute toxicity, inhalation-Cat.3; H331 - Toxic if inhaled

Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage

Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction

Carcinogenicity-Cat.2; H351 - Suspected of causing cancer Acute toxicity, inhalation-Cat.2; H330 - Fatal if inhaled

Acute toxicity, dermal-Cat.2; H310 - Fatal in contact with skin

Acute toxicity, oral-Cat.1; H300 - Fatal if swallowed

Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure

Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life

Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects

T - Toxic C - Corrosive

Carcinogenic: Category 3

T+ - Very toxic

N - Dangerous for the environment

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect R43 - May cause sensitization by skin contact.

R33 - Danger of cumulative effects.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 11 - Toxicology Information. Updated Section 13 - Disposal Considerations. Updated Section 15 - Regulatory Information.

Material Name: Escherichia Coli Bacterin

Revision date: 12-Mar-2014

Page 10 of 10

Version: 2.0

Prepared by: Toxicology and Hazard Communication Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet