SAFETY DATA SHEET



1. Identification

Product identifier Moxidectin Oral Gel

Other means of identification

Synonyms QUEST® Gel * QUEST GEL * QUEST® 2% Equine Oral Gel * Moxidectin equine oral gel

Veterinary product used as anti-worm agent (anthelmintic) Recommended use

Recommended restrictions Not for human use Manufacturer/Importer/Supplier/Distributor information

Zoetis Inc. **Company Name (US)**

10 Sylvan Way

Parsippany, New Jersey 07054 (USA)

Rocky Mountain Poison

and Drug Center

1-866-531-8896

Product Support/Technical

Services

1-888-963-8471

Emergency telephone

numbers

CHEMTREC (24 hours): 1-800-424-9300

International CHEMTREC (24 hours): +1-703-527-3887

Zoetis Belgium S.A. Company Name (EU)

> Rue Laid Burniat 1 1348 Louvain-la-Neuve

Belgium

Telephone: +32 10 808080

Emergency telephone

number

International CHEMTREC (24 hours): +1-703-527-3887

Contact E-Mail VMIPSrecords@zoetis.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Specific target organ toxicity, repeated Category 2 (central nervous system)

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

Category 1

long-term hazard

Not classified. **OSHA** defined hazards

Label elements





Signal word Warning

May cause damage to organs (central nervous system) through prolonged or repeated exposure. **Hazard statement**

Very toxic to aquatic life with long lasting effects.

Precautionary statement

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment. Prevention

Get medical advice/attention if you feel unwell. Collect spillage. Response

Storage Store away from incompatible materials.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Material name: Moxidectin Oral Gel

SDS US

Version #: 05 Revision date: 06-30-2022 Issue date: 08-18-2013

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
Benzyl alcohol		100-51-6	4	
Moxidectin		113507-06-5	2	

Composition comments

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been

withheld as a trade secret.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist. For breathing difficulties, oxygen

may be necessary.

Skin contact

Wash off immediately with soap and plenty of water. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing

before reuse.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove

contact lenses, if present and easy to do.

Ingestion

Rinse mouth. Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

Most important

symptoms/effects, acute and

delayed

May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatique, mental confusion and blurred vision) and/or damage. Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness, and discomfort.

medical attention and special

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed. May cause central nervous system effects.

General information

treatment needed

Indication of immediate

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Ventilate the contaminated area. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Avoid contact with eyes, skin, and clothing. For personal protection, see section 8 of the SDS.

Material name: Moxidectin Oral Gel SDS US

Version #: 05 Revision date: 06-30-2022 Issue date: 08-18-2013

Methods and materials for containment and cleaning up

Avoid release to the environment. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent entry into waterways, sewer, basements or confined areas. Ensure adequate ventilation.

Large Spills: Stop the flow of material, if this is without risk. Clean surface thoroughly to remove residual contamination.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Clean contaminated surface thoroughly.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not taste or swallow. Use this product with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in tightly closed container. Store in a well-ventilated place. Do not allow material to freeze. Store at 15-30°C (59-86°F). Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

7.	-4:-
20	eus

Components	Туре	Value	
Moxidectin (CAS 113507-06-5)	TWA	70 μg/m3	
US. Workplace Environmental Components	Exposure Level (WEEL) Guides Type	Value	
Benzyl alcohol (CAS 100-51-6)	TWA	44.2 mg/m3	
		10 ppm	

Biological limit values Control banding approach Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Moxidectin - Zoetis OEB 3 (control exposure to the range of 10ug/m3 to < 100ug/m3)

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas. Provide eyewash station. Keep air contamination levels below the exposure limits or within the OEB range listed above in this section. Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or aerosols.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses or goggles if eye contact is possible.
Skin protection	

Hand protection

Wear appropriate chemical resistant gloves. Impervious gloves are recommended if skin contact

with drug product is possible and for bulk processing operations.

Other Wear suitable protective clothing. Use of an impervious apron is recommended. Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk

processing operations.

Respiratory protection No personal respiratory protective equipment normally required. Chemical respirator with organic

vapor cartridge, full facepiece, dust and mist filter. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control

exposures to below the OEL.

Thermal hazards Not applicable.

Material name: Moxidectin Oral Gel

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Gel.

Physical stateLiquid.FormSolid.ColorClear.

Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Not available.

Not available.

Relative density Solubility(ies)

Vapor density

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Not available.

Not available.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, spark, open flames and other sources of ignition. Contact with incompatible

materials. Protect from freezing. Avoid release to the environment.

Incompatible materials Avoid contact with oxidizers or reducing agents.

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. Carbon disvides each product and evides of nitrogen

dioxide, carbon monoxide, and oxides of nitrogen.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an

inhalation hazard. Prolonged inhalation may be harmful.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and

dermatitis.

Benzyl alcohol Species: Guinea Pig Severity: Moderate

Material name: Moxidectin Oral Gel sps us

Skin contact

Moxidectin Species: Rabbit

Severity: Mild

Benzyl alcohol Species: Rabbit

Severity: Minimal

Eye contact Direct contact with eyes may cause temporary irritation.

Moxidectin Species: Rabbit

Severity: Moderate

Benzyl alcohol Species: Rabbit

Species

Severity: Severe

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Product

May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Not acutely toxic **Acute toxicity**

Moxidectin Oral Gel Acute **Dermal ATE** > 10000 mg/kg Oral **ATE** 4345 mg/kg

Components **Species Test Results**

Benzyl alcohol (CAS 100-51-6)

Acute

Dermal

LD50 Rabbit 2000 mg/kg

Inhalation

LC50 Rat > 4.178 mg/L

1000 mg/l, 8 Hours

Test Results

Oral

LD50 Mouse 1580 mg/kg

Rat 1230 mg/kg

Moxidectin (CAS 113507-06-5)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 106 mg/kg

Chronic

Oral

NOEL Mouse 30 mg/kg/day, 2 years (Not carcinogenic)

> Rat 100 mg/kg/day, 2 years (Not carcinogenic)

Subacute

Oral

LOEL Rat 100 mg/kg/day, 28 days (Central Nervous

System)

Material name: Moxidectin Oral Gel

SDS US

Version #: 05 Revision date: 06-30-2022 Issue date: 08-18-2013

Mouse	75 mg/kg/day, 28 days (Central nervous system)	
Dog	10 mg/kg/day, 90 days (Central Nervous System)	
Rat	50 mg/kg/day, 13 weeks (Central Nervous System)	
Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.		
	pecies: Rabbit everity: Mild	
Direct contact with eyes may cause temporary irritation.		
	pecies: Rabbit everity: Moderate	
	pecies: Rabbit everity: Severe	
	Dog Rat Frequent or prolonged contact ma Signature Signature Direct contact with eyes may cause Signature Signature	

Not a respiratory sensitizer. Respiratory sensitization

This product is not expected to cause skin sensitization. Skin sensitization

Skin sensitization

Moxidectin Species: Guinea Pig

Severity: Negative

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

Moxidectin In Vitro Bacterial Mutagenicity (Ames)

Result: Negative

Species: Salmonella, E. coli

In Vitro HGPRT Forward Gene Mutation Assay

Result: Negative

Species: Chinese Hamster Ovary (CHO) cells

In Vivo Cytogenetics Result: Negative

Species: Rat Bone Marrow

In Vivo Unscheduled DNA Synthesis

Result: Negative

Species: Rat Hepatocyte

Carcinogenicity Not listed as a carcinogen by IARC, NTP or US OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Based on available

data, the classification criteria are not met.

Material name: Moxidectin Oral Gel SDS US

Developmental effects

Moxidectin 1 mg/kg/day Embryo / Fetal Development, (Maternal toxicity,

Not teratogenic) Result: NOEL Species: Rabbit Organ: Oral route

5 mg/kg/day Embryo / Fetal Development, (Negative)

Result: NOEL Species: Rat Organ: Oral route

5 mg/kg/day Embryo / Fetal Development, (Not Teratogenic,

Embryotoxicity, Maternal Toxicity)

Result: NOEL Species: Rat Organ: Oral route

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity repeated exposure

May cause damage to organs (central nervous system) through prolonged or repeated

exposure.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful. May cause damage to organs through prolonged

or repeated exposure.

Further information

Adverse effects associated with therapeutic use include clumsy motion of limbs/trunk

(ataxia), drowsiness, depression, and salivation.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects. Avoid release to the environment.

Components		Species	Test Results
Benzyl alcohol (CAS 100-5	1-6)		
Aquatic			
Algae	EC50	Pseudokirchneriella subcapitata (Green Alga)	500 mg/L, 72 Hours
Crustacea	EC50	Daphnia magna (Water Flea)	230 mg/L, 48 Hours
			66 mg/L, 21 Day(s) Reproduction
Fish	LC50	Pimephales promelas (Fathead Minnow)	460 mg/L, 96 Hours
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours
Moxidectin (CAS 113507-0	6-5)		
Aquatic			
Algae	ErC50	Green algae (Selenastrum capricornutum)	> 87 ppb, 72 Hours
Crustacea	EC50	Daphnia magna (Water Flea)	30 ppt, 48 Hours
Fish	LC50	Lepomis macrochirus (Bluegill Sunfish)	0.62 ppb, 96 Hours
		Oncorhynchus mykiss (Rainbow Trout)	0.16 ppb, 96 Hours

Persistence and degradability The active ingredient in this formulation is expected to bind to soil or sediment.

Biodegradability

Percent degradation (Aerobic biodegradation)

Benzyl alcohol 92 - 96 %

Test Duration: 28 days

Bioaccumulative potential See below

Partition coefficient n-octanol / water (log Kow)

Benzyl alcohol 1.1

Material name: Moxidectin Oral Gel SDS US Partition coefficient n-octanol / water (log Kow)

Moxidectin 4.77

Mobility in soil The active ingredient in this formulation is expected to bind to soil or sediment.

Adsorption

Soil/sediment sorption - log Koc

Moxidectin 4.3 - 4.6

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Avoid release to the environment. Considering the relevant known environmental and human

> health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied.

14. Transport information

DOT

UN3082 **UN** number

UN proper shipping name

Transport hazard class(es)

Environmentally hazardous substances, liquid, n.o.s. (Moxidectin)

9 Class Subsidiary risk 9 Label(s) Ш **Packing group**

Environmental hazards

Marine pollutant Yes

Special precautions for user Not available.

Special provisions 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155 Packaging non bulk 203 241 Packaging bulk

IATA

UN number UN3082

Environmentally hazardous substance, liquid, n.o.s. (Moxidectin) **UN proper shipping name**

Transport hazard class(es)

Class 9 Subsidiary risk Packing group Ш **Environmental hazards** Yes **ERG Code** 91

Special precautions for user Not available.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Allowed with restrictions. Cargo aircraft only

IMDG

UN3082 **UN number**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Moxidectin), MARINE UN proper shipping name

POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III

Environmental hazards


Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Not available.

Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT; IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant. As of January 1, 2015, materials offered for transport that are classified for transportation only as Marine Pollutants and which are packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 Liters or less for liquids or having a net mass per single or inner packaging of 5 kilograms or less for solids are NOT subject to ICAO/IATA, IMDG, or ADR transport regulations provided the general packaging requirements of those regulations are met. Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375. Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

One or more components of the mixture are not on the TSCA 8(b) inventory

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

or are designated "inactive".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Toxic Substances Control Act (TSCA)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Material name: Moxidectin Oral Gel SDS US

SARA 311/312 Hazardous

chemical

Yes

Classified hazard categories

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

08-18-2013 Issue date 06-30-2022 **Revision date**

Version # 05

List of abbreviations AICIS: Australian Inventory of Industrial Chemicals.

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while Disclaimer

it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently

available.

Material name: Moxidectin Oral Gel SDS US 10 / 10