

Revision date: 12-Feb-2015 Version: 2.2 Page 1 of 10

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Methylprednisolone Acetate Suspension, USP, Animal Health Product

Trade Name: Depo-medrol (R) Sterile Aqueous Suspension (Animal Health Product)

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product used as anti-inflammatory

Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail: VMIPSrecords@zoetis.com

2. HAZARDS IDENTIFICATION

Appearance: Clear, colorless solution

Classification of the Substance or Mixture

GHS - Classification

Reproductive Toxicity: Category 1A

Specific target organ systemic toxicity (repeated exposure): Category 2

EU Classification:

EU Indication of danger: Toxic to reproduction: Category 1

EU Symbol: T

EU Risk Phrases:

R61 - May cause harm to the unborn child.

Label Elements

Signal Word: Danger

Hazard Statements: H360D - May damage the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure (blood and

blood forming organs, reproductive system, adrenal gland)

Material Name: Methylprednisolone Acetate Suspension, USP, Page 2 of 10

Animal Health Product

Revision date: 12-Feb-2015 Version: 2.2

Precautionary Statements: P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical attention/advice

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards

Short Term: Not a skin irritant . Not acutely toxic (based on animal data) . May be harmful if absorbed

through the skin. Accidental ingestion may cause effects similar to those seen in clinical use.

May produce allergic reactions following skin contact.

Long Term: Animal studies indicate that this material may cause adverse effects on the developing fetus

blood and blood forming organs.

Known Clinical Effects: Clinical use has resulted in hormonal alterations. Clinical use has resulted in changes in

electrolytes and/or blood chemistry changes. Adverse clinical reactions include the development of hypersensitivity and/or irritation leading to rashes, itching, and burning.

Hazardous Substance. Non-Dangerous Goods.

Australian Hazard Classification (NOHSC):

Note:

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

| Ingredient | CAS Number | EU | EU Classification | GHS | % |
|------------------------------------|------------|---------------|-------------------|--------------------|------------------|
| | | EINECS/ELINCS | | Classification | |
| | | List | | | |
| Methylprednisolone Acetate | 53-36-1 | 200-171-3 | T;48/22-R61 | Repr.1A (H360D) | 2 - 4 |
| | | | | STOT RE.2 (H373) | |
| Sodium chloride | 7647-14-5 | 231-598-3 | Not Listed | Not Listed | <1 |
| Myristyl-gamma-picolinium chloride | 2748-88-1 | 220-387-1 | Xn;R22 | Acute Tox.3 (H301) | <0.1 |

| Ingredient | CAS Number | EU EINECS/ELINCS | EU Classification | GHS Classification | % |
|---------------------|------------|---------------------|-------------------|-----------------------|---|
| | | List | | Glassinsation | |
| Water | 7732-18-5 | 231-791-2 | Not Listed | Not Listed | * |
| Polyethylene glycol | 25322-68-3 | Not Listed | Not Listed | Not Listed | * |

Material Name: Methylprednisolone Acetate Suspension, USP, Page 3 of 10

Animal Health Product

Revision date: 12-Feb-2015 Version: 2.2

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this

mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion May include oxides of carbon.

Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

Collecting: area thoroughly.

Material Name: Methylprednisolone Acetate Suspension, USP, Page 4 of 10

Animal Health Product

Revision date: 12-Feb-2015 Version: 2.2

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

When handling, use appropriate personal protective equipment (see Section 8). Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Methylprednisolone Acetate

Zoetis OEL TWA 8-hr 4µg/m³, Skin

Sodium chloride

Latvia OEL - TWA 5 mg/m³ **Lithuania OEL - TWA** 5 mg/m³

Polyethylene glycol

 Austria OEL - MAKs
 1000 mg/m³

 Germany - TRGS 900 - TWAs
 1000 mg/m³

Germany (DFG) - MAK 1000 mg/m³ average molecular weight 200-600

Slovakia OEL - TWA1000 mg/m³Slovenia OEL - TWA1000 mg/m³Switzerland OEL -TWAs1000 ppm

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Keep

airborne contamination levels below the exposure limits listed above in this section. General

room ventilation is adequate unless the process generates dust, mist or fumes.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Hands: Impervious, disposable gloves (double suggested) are recommended if skin contact with drug

product is possible and for bulk processing operations.

Eyes: Wear safety glasses or goggles if eye contact is possible.

Skin: Impervious disposable protective clothing is recommended if skin contact with drug product is

possible and for bulk processing operations.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate

respirator with a protection factor sufficient to control exposures to below the OEL.

Material Name: Methylprednisolone Acetate Suspension, USP, Page 5 of 10

Animal Health Product

Revision date: 12-Feb-2015 Version: 2.2

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solution Color: Colorless

Odor: No data available. Odor Threshold: No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility:
Water Solubility:
PH:
No data available
No data available
No data available.
No data available.
No data available
No data available
No data available
Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Myristyl-gamma-picolinium chloride Predicted 7.4 Log D 1.30

Methylprednisolone

Predicted 7.4 Log D 1.99

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

Polymerization:

No data available
No data available
Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: None

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. Incompatible Materials: As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

Toxicological properties of the formulation have not been investigated. The information included in this section describes the potential hazards of various forms of the active ingredients. The information in this section describes the potential hazards of the individual ingredients and the formulation. Routes of exposure: eye contact, skin contact

Material Name: Methylprednisolone Acetate Suspension, USP, Page 6 of 10

Animal Health Product

Revision date: 12-Feb-2015 Version: 2.2

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: (Species, Route, End Point, Dose)

Methylprednisolone Acetate

Rat Oral LD50 >10,000 mg/kg

Mouse Sub-tenon injection (eye) LD50 >1,409mg/kg

Rat Subcutaneous LD50 265mg/kg

Myristyl-gamma-picolinium chloride

Rat Oral LD 50 250 mg/kg

Rat Para-periosteal LD50 30mg/kg Rat Intraperitoneal LD50 7500ug/kg Rat Subcutaneous LD50 200mg/kg

Sodium chloride

Rat Oral LD50 3000 mg/kg Mouse Oral LD50 4000 mg/kg

Methylprednisolone

Rat Oral LD 50 > 2000 mg/kg Mouse Oral LD 50 450mg/kg

Rat Intraperitoneal LD 50 1000mg/kg
Mouse Intraperitoneal LD 50 1409mg/kg

Rat Subcutaneous LD 50 >3000mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Polyethylene glycol

Eye Irritation Rabbit Mild Skin Irritation Rabbit Mild

Methylprednisolone Acetate

Eye Irritation Rabbit No effect Skin Irritation Rabbit No effect

Sodium chloride

Eye Irritation Rabbit Moderate Skin Irritation Rabbit Mild

Methylprednisolone

Skin Irritation Rabbit No effect Eye Irritation Rabbit No effect

Skin Sensitization - GPMT Guinea Pig No effect

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Myristyl-gamma-picolinium chloride

60 Day(s) Rat Oral 2400 mg/kg Death

Methylprednisolone

Material Name: Methylprednisolone Acetate Suspension, USP, Page 7 of 10

Animal Health Product

Revision date: 12-Feb-2015 Version: 2.2

11. TOXICOLOGICAL INFORMATION

42 Day(s) Dog Oral 167 µg/kg/day LOAEL Adrenal gland

6 Week(s) Rat Subcutaneous 500 μg/kg/day LOAEL None identified

14 Week(s) Rat Subcutaneous 0.4 μg/kg/day NOAEL Blood forming organs, Adrenal gland 52 Week(s) Rat Subcutaneous 4 μg/kg/day NOAEL Blood forming organs Adrenal gland

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Methylprednisolone

Reproductive & Fertility Rat Subcutaneous 0.004 mg/kg/day NOAEL Paternal toxicity Reproductive & Fertility Rat Subcutaneous 0.02 mg/kg/day LOAEL Fetotoxicity

Embryo / Fetal Development Rat Subcutaneous 1.0 mg/kg/day LOAEL Fetotoxicity, Teratogenic

Embryo / Fetal Development Mouse Intramuscular 330 mg/kg/day LOAEL Teratogenic Embryo / Fetal Development Rabbit Intramuscular 0.1 mg/kg/day LOAEL Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Methylprednisolone Acetate

Direct DNA Interaction Not applicable Negative In Vitro Cytogenetics Not applicable Negative

Methylprednisolone

Bacterial Mutagenicity (Ames) Salmonella Negative
Unscheduled DNA Synthesis Rat Hepatocyte Negative

Mammalian Cell Mutagenicity Chinese Hamster Ovary (CHO) cells Negative

Direct DNA Interaction Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been investigated. Releases to the environment should be

avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Myristyl-gamma-picolinium chloride

Predicted 7.4 Log D 1.30

Methylprednisolone

Predicted 7.4 Log D 1.99

Mobility in Soil: No data available

Material Name: Methylprednisolone Acetate Suspension, USP, Page 8 of 10

Animal Health Product

Revision date: 12-Feb-2015 Version: 2.2

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.



Methylprednisolone Acetate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Australia (AICS):

Present

EU EINECS/ELINCS List

200-171-3

Sodium chloride

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Eisted

Not Eisted

Not Eisted

Not Eisted

Not Eisted

Not Eisted

Not Listed

Not

Myristyl-gamma-picolinium chloride

Material Name: Methylprednisolone Acetate Suspension, USP, Page 9 of 10

Animal Health Product

Revision date: 12-Feb-2015 Version: 2.2

15. REGULATORY INFORMATION

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Present

220-387-1

Water

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the

Not Listed

Not Listed

Present

Present

obligations of Register:

EU EINECS/ELINCS List 231-791-2

Polyethylene glycol

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling

Not Listed

Not Listed

Present

Present

Schedule 3

for Drugs and Poisons:

EU EINECS/ELINCS List Not Listed

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed

Reproductive toxicity-Cat.1A; H360D - May damage the unborn child

Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure

T - Toxic

Xn - Harmful

R22 - Harmful if swallowed.

R61 - May cause harm to the unborn child.

R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Data Sources: The data contained in this SDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 2 - Hazard Identification. Updated Section 11 - Toxicology Information.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

Material Name: Methylprednisolone Acetate Suspension, USP, Animal Health Product Page 10 of 10

Revision date: 12-Feb-2015 Version: 2.2

End of Safety Data Sheet