

Revision date: 24-Apr-2015

Version: 2.0

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: NEO-SOL

Trade Name: Synonyms: Chemical Family: NEO-SOL 50 Neomycin Sulfate Soluble Powder Aminoglycoside

Relevant Identified Uses of the Substance or Mixture and Uses Advised AgainstIntended Use:Veterinary product used as antibiotic agentRestrictions on Use:Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.Zoetis B100 Campus Drive, P.O. Box 651MercuriuFlorham Park, New Jersey 07932 (USA)1930 ZavRocky Mountain Poison and Drug Center Phone: 1-866-531-8896BelgiumProduct Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

## 2. HAZARDS IDENTIFICATION

**Appearance:** 

White to tan powder

#### Classification of the Substance or Mixture GHS - Classification

Skin Corrosion/Irritation: Category 2 Respiratory Sensitization: Category 1 Skin Sensitization: Category 1 Reproductive Toxicity: Category 2 Acute aquatic toxicity: Category 3 Chronic aquatic toxicity: Category 3

#### **US OSHA Specific - Classification**

**Physical Hazard:** Combustible Dust **EU Classification:** 

EU Indication of danger: Toxic to Reproduction: Category 3 Harmful

 EU Symbol:
 Xn

 EU Risk Phrases:
 R63 - Possible risk of harm to the unborn child.

 R38 - Irritating to skin.
 R42/43 - May cause sensitization by inhalation and skin contact.

 R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Material Name: NEO-SOL Revision date: 24-Apr-2015

## 2. HAZARDS IDENTIFICATION

Label Elements	
Signal Word: Hazard Statements:	Danger H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled H317 - May cause an allergic skin reaction H315 - Causes skin irritation H361 - Suspected of damaging fertility or the unborn child H412 - Harmful to aquatic life with long lasting effects May form combustible dust concentrations in air
Precautionary Statements:	<ul> <li>P201 - Obtain special instructions before use</li> <li>P202 - Do not handle until all safety precautions have been read and understood</li> <li>P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P261 - Avoid breathing dust/fume/gas/mist/vapors/spray</li> <li>P285 - In case of inadequate ventilation wear respiratory protection</li> <li>P264 - Wash hands thoroughly after handling</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace</li> <li>P273 - Avoid release to the environment</li> <li>P308 + P313 - IF exposed or concerned: Get medical attention/advice</li> <li>P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing</li> <li>P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician</li> <li>P302 + P352 - IF ON SKIN: Wash with plenty of soap and water</li> <li>P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention</li> <li>P362 - Take off contaminated clothing and wash before reuse</li> <li>P405 - Store locked up</li> <li>P501 - Dispose of contents/container in accordance with all local and national regulations</li> </ul>
Other Hazards Short Term:	Individuals sensitive to this chemical or other materials in its chemical class may develop allergic reactions. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain.

Long Term:

Known Clinical Effects:

Australian Hazard Classification (NOHSC):

swallowed. Animal studies indicate that this material may cause adverse effects on the kidneys, ear (ototoxicity) and blood forming organs The most common adverse effects reported with clinical use were diarrhea, nausea, rash, and vomiting. This compound can cross the placenta in pregnant women. Hazardous Substance. Non-Dangerous Goods.

Asthma like reactions occur with acute exposures in sensitized patients. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted. May produce slight eye irritation. Signs and symptoms might include redness, swelling, blurred vision or pain. Dust may cause irritation . May be harmful if

Note:

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Neomycin Sulfate	1405-10-3	215-773-1	Xn;R42/43 Repr.Cat.3;R63	Resp. Sens. 1 (H334) Skin Sens.1(H317) Repro. 2 (H361d) Aq. Acute 3 (H402) Aq. Chronic 3 (H412)	80
Sucrose	57-50-1	200-334-9	Not Listed	Not Listed	20

Additional Information:

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

#### For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

## **4. FIRST AID MEASURES**

Description of First Aid Measures Eye Contact:	Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
Skin Contact:	Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.
Most Important Symptoms and Effect Symptoms and Effects of Exposure: Medical Conditions Aggravated by Exposure:	<b>Sts, Both Acute and Delayed</b> For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information. Individuals with a history of hypersensitivity to this material or other materials in its chemical class, individuals with other allergic conditions or diseases (asthma, eczema, etc.). Breathing dust may worsen asthma symptoms.

Indication of the Immediate Medical Attention and Special Treatment Needed None

Notes to Physician:

### **5. FIRE-FIGHTING MEASURES**

**Extinguishing Media:** 

Extinguish fires with CO2, extinguishing powder, foam, or water.

#### Special Hazards Arising from the Substance or Mixture

Material Name: NEO-SOL	Page 4 of 10
Revision date: 24-Apr-2015	Version: 2.0

Hazardous Combustion Products:	Formation of toxic gases is possible during heating or fire.
Fire / Explosion Hazards:	Dust can form an explosive mixture in air. Fine particles (such as dust and mists) may fuel fires/explosions.

#### Advice for Fire-Fighters

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear.

## **6. ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Avoid dust formation.

#### **Environmental Precautions**

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

#### Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting:	Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Collect spilled material by a method that controls dust generation. Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.
Additional Consideration for Large Spills:	Avoid generating airborne dust. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Collect spill with a non-combustible absorbent material and transfer to labeled container for disposal. Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

## 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Minimize dust generation and accumulation. Use with adequate ventilation. Wash thoroughly after handling. When handling, use appropriate personal protective equipment (see Section 8). Prevent environmental releases. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

#### Conditions for Safe Storage, Including any Incompatibilities

```
Storage Conditions:
```

Store at room temperature in properly labeled containers. Keep away from heat, sparks, flame, and other sources of ignition. Keep away from direct sunlight. No data available

Specific end use(s):

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

Refer to available public information for specific member state Occupational Exposure Limits.

Neomycin Sulfate Zoetis OEL TWA 8-hr

100 µg/m<sup>3</sup>, Sensitizer

Sucrose

8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
ACGIH Threshold Limit Value	·	
Australia TWA	10 mg/m <sup>3</sup>	
Belgium OEL - TWA	10 mg/m <sup>3</sup>	
Bulgaria OEL - TWA	10.0 mg/m <sup>3</sup>	
Estonia OEL - TWA	10 mg/m <sup>3</sup>	
France OEL - TWA	10 mg/m <sup>3</sup>	
Ireland OEL - TWAs	10 mg/m <sup>3</sup>	
Latvia OEL - TWA	5 mg/m³	
Lithuania OEL - TWA	10 mg/m <sup>3</sup>	
OSHA - Final PELS - TWAs:	15 mg/m <sup>3</sup>	
Portugal OEL - TWA	10 mg/m <sup>3</sup>	
Slovakia OEL - TWA	6 mg/m <sup>3</sup>	
Spain OEL - TWA	10 mg/m <sup>3</sup>	
Exposure Controls		
Engineering Controls:	Engineering controls should be used as the primary means to control exposures. Keep airborne contamination levels below the exposure limits listed above in this section.	
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).	
Hands:	Wear impervious gloves if skin contact is possible.	
Eyes:	Safety glasses or goggles	
Skin:	Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.	
Respiratory protection:	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. Whenever excessive air contamination (dust, mist, vapor) is generated, respiratory protection, with appropriate protection factors, should be used to minimize exposure.	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Odor: Molecular Formula:	Free-flowing, granular powder Mild, earthy odor Mixture
Solvent Solubility: Water solubility: Water Solubility: pH: Melting/Freezing Point (°C): Boiling Point (°C): Partition Coefficient: (Method, pH, En No data available Neomycin Sulfate Predicted 7.4 Log D 1.20 Decomposition Temperature (°C):	No data available 162 g/100 ml No data available No data available. No data available No data available. dpoint, Value)
Evaporation Rate (Gram/s): Vapor Pressure (kPa): Vapor Density (g/ml): Relative Density: Viscosity:	No data available No data available No data available No data available No data available No data available

Color: Odor Threshold: Molecular Weight: White to tan No data available. Mixture

Material Name: NEO-SOL Revision date: 24-Apr-2015 Page 6 of 10 Version: 2.0

Flammablity:

Autoignition Temperature (Solid) (°C): Flammability (Solids): Flash Point (Liquid) (°C): Upper Explosive Limits (Liquid) (% by Vol.): Lower Explosive Limits (Liquid) (% by Vol.): Polymerization: No data available Will not occur

### **10. STABILITY AND REACTIVITY**

Reactivity: Chemical Stability: Possibility of Hazardous Reactions	No data available Stable under normal conditions of use.
Oxidizing Properties:	No data available
Conditions to Avoid:	Keep away from heat, spark, flames and all other sources of ignition. Avoid dispersion as a dust cloud. Dust may form explosive mixture in air. Fine particles (such as dust and mists) may fuel fires/explosions.
Incompatible Materials:	As a precautionary measure, keep away from strong oxidizers
Hazardous Decomposition	Thermal decomposition products may include carbon monoxide, carbon dioxide and oxides of
Products:	nitrogen.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects

Toxicological properties of the formulation have not been investigated. The information in this section describes the potential hazards of the individual ingredients and the formulation. Routes of exposure: eye contact, skin contact, inhalation

#### Acute Toxicity: (Species, Route, End Point, Dose)

#### **Neomycin Sulfate**

**General Information:** 

RatOralLD 502750 mg/kgMouseOralLD 502880mg/kgMouseIntraperitonealLD 50116mg/kgRatSubcutaneousLD 50633mg/kgMouseSubcutaneousLD 50275mg/kg

#### Sucrose

Rat Oral LD 50 29,700 mg/kg

Inhalation Acute Toxicity

Inhalation of dust may cause irritation of the respiratory tract and mucous membranes and allergic reactions in susceptible individuals. May be harmful if swallowed

Ingestion Acute Toxicity

Irritation / Sensitization: (Study Type, Species, Severity)

#### **Neomycin Sulfate**

Skin Irritation Rabbit Moderate Eye Irritation Rabbit Minimal Skin Sensitization Positive

Irritation / Sensitization Comments:May cause eye irritation.Skin Irritation / SensitizationMay cause skin irritation.May cause allergic reactions in susceptible individuals.

### **11. TOXICOLOGICAL INFORMATION**

#### Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

#### **Neomycin Sulfate**

6 Week(s) Oral 100 mg/kg/dav NOAEL No effects at maximum dose Dog Guinea Pig 3 Month(s) Oral 10 mg/kg/day NOAEL No effects at maximum dose 20 mg/kg/day LOAEL Kidney 3 Month(s) Dog Subcutaneous 12 Month(s) Cat Oral 12 mg/kg/day NOAEL Blood forming organs 3 Month(s) Guinea Pig Subcutaneous 10 mg/kg/day LOAEL Kidney

#### Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

#### **Neomycin Sulfate**

**Reproductive & Fertility** 4000 mg/L No effects at maximum dose Mouse Oral NOAEL 2 Generation Reproductive Toxicity Rat Oral 25 mg/kg/day NOAEL Fetotoxicity Reproductive & Fertility Rat Ora 25 mg/kg/day NOAEL No effects at maximum dose Prenatal & Postnatal Development Rat Subcutaneous 6 mg/kg/day LOAEL Developmental toxicity,

**Reproductive & Development** may have the potential to produce effects on the developing fetus. **Toxicity Comments:** 

#### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

#### Neomycin Sulfate

Bacterial Mutagenicity (Ames)Salmonella , E. coliNegativeMammalian Cell MutagenicityChinese Hamster Ovary (CHO) cellsNegativeIn Vivo CytogeneticsMouseNegativeIn Vitro Chromosome AberrationHuman LymphocytesPositive

#### Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

#### **Neomycin Sulfate**

2 Year(s) Rat Oral 25 mg/kg/day NOAEL Not carcinogenic

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

#### Product Level Toxicity Data Acute Toxicity Estimate (ATE), oral

3448 mg/kg

### **12. ECOLOGICAL INFORMATION**

Environmental Overview:	Environmental properties of the formulation have not been investigated. The following information is available for the individual ingredients. may be harmful to aquatic organisms. Releases to the environment should be avoided.	
Toxicity:		
Aquatic Toxicity: (Species, Method,	End Point, Duration, Result)	
<b>Neomycin Sulfate</b> Daphnia magna (Water Flea) OECD Salmo gairdneri (Trout) OECD NO	DEC 96 Hours >1000 mg/L	
Aquatic Toxicity Comments:	A greater than symbol (>) indicates that aquatic toxicity was not observed at the maximum dose tested.	
Bacterial Inhibition: (Inoculum, Method, End Point, Result)		
Neomycin Sulfate Activated sludge OECD EC50	399 mg/L	
Persistence and Degradability:	No data available	
<b>Bio-accumulative Potential:</b> <b>Neomycin Sulfate</b> Predicted 7.4 Log D 1.20		
Mobility in Soil:	No data available	

## **13. DISPOSAL CONSIDERATIONS**

Waste Treatment Methods:Should not be released into the environment. Dispose of waste in accordance with all<br/>applicable laws and regulations. Member State specific and Community specific provisions<br/>must be considered. Considering the relevant known environmental and human health<br/>hazards of the material, review and implement appropriate technical and procedural waste<br/>water and waste disposal measures to prevent occupational exposure and environmental<br/>release. It is recommended that waste minimization be practiced. The best available<br/>technology should be utilized to prevent environmental releases. This may include destructive<br/>techniques for waste and wastewater.

### **14. TRANSPORT INFORMATION**

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

## **15. REGULATORY INFORMATION**

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

### Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A Class D, Division 2, Subdivision B

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.



#### **Neomycin Sulfate**

CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): EU EINECS/ELINCS List

#### Sucrose

CERCLA/SARA 313 Emission reporting California Proposition 65 Inventory - United States TSCA - Sect. 8(b) Australia (AICS): REACH - Annex IV - Exemptions from the obligations of Register: EU EINECS/ELINCS List Not Listed developmental toxicity initial date 10/1/92 internal use Present Present 215-773-1

Not Listed Not Listed Present Present Present

200-334-9

## **16. OTHER INFORMATION**

#### Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction Sensitization, respiratory-Cat.1; H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled Reproductive toxicity-Cat.2; H361 - Suspected of damaging fertility or the unborn child Hazardous to the aquatic environment, acute toxicity-Cat.3; H402 - Harmful to aquatic life Hazardous to the aquatic environment, chronic toxicity-Cat.3; H412 - Harmful to aquatic life with long lasting effects

Xn - Harmful Toxic to Reproduction: Category 3

R63 - Possible risk of harm to the unborn child. R42/43 - May cause sensitization by inhalation and skin contact.

Data Sources:

The data contained in this SDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Material I	Name:	NEO-SOL
Revision	date:	24-Apr-2015

Reasons for Revision:	Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 10 - Stability and Reactivity. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section 15 - Regulatory Information.
Prepared by:	Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet