

Revision date: 14-May-2014 Version: 2.0 Page 1 of 9

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

Product Identifier

Material Name: Sul-Q-Nox

Not established **Trade Name:**

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Veterinary product Intended Use: Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem **Belgium**

Emergency telephone number: Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail: VMIPSrecords@zoetis.com International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Dark green liquid

Classification of the Substance or Mixture

GHS - Classification

Skin Corrosion/Irritation: Category 1A

Serious Eye Damage/Eye Irritation: Category 1

Respiratory Sensitization: Category 1 Skin Sensitization: Category 1

EU Classification:

EU Indication of danger: Corrosive

Harmful

C Xn EU Symbol:

EU Risk Phrases:

R22 - Harmful if swallowed. R35 - Causes severe burns.

R42/43 - May cause sensitization by inhalation and skin contact.

Label Elements

Danger Signal Word:

Hazard Statements: H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Material Name: Sul-Q-Nox
Revision date: 14-May-2014
Page 2 of 9
Version: 2.0

Precautionary Statements: P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P310 - Immediately call a POISON CENTRE or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards
Australian Hazard Classification
(NOHSC):

No data available

Hazardous Substance. Dangerous Goods.

Note:

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Sulfaquinoxaline	59-40-5	200-423-2	Xn; R22, R42/43	Acute Tox. 4 (H302) Resp. Sens. 1 (H334) Skin Sens. 1 (H317)	30-32
Potassium hydroxide	1310-58-3	215-181-3	Xn; R22 C; R35	Acute Tox. 4 (H302) Skin Corr. 1A (H314)	3-5
Sodium hydroxide	1310-73-2	215-185-5	C; R35	Skin Corr. 1A (H314)	3-5

Material Name: Sul-Q-Nox
Page 3 of 9
Revision date: 14-May-2014
Version: 2.0

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Water	7732-18-5	231-791-2	Not Listed	Not Listed	62-68

Additional Information: Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Wash off immediately with plenty of soap and water for at least 15 minutes. Get medical

attention immediately. Remove and wash contaminated clothing before reuse.

Ingestion: In the event of swallowing this material, seek immediate medical attention. DO NOT INDUCE

VOMITING. Rinse mouth. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Material Name: Sul-Q-Nox

Revision date: 14-May-2014

Page 4 of 9

Version: 2.0

Measures for Cleaning /

Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

Collecting: area thoroughly.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors. HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging. Keep out of reach of children.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Potassium hydroxide

ACGIH Ceiling Threshold Limit:	2 mg/m³
Australia PEAK	2 mg/m ³
Austria OEL - MAKs	2 mg/m ³
Bulgaria OEL - TWA	2.0 mg/m ³
Czech Republic OEL - TWA	1 mg/m ³
Estonia OEL - TWA	2 mg/m ³
Greece OEL - TWA	2 mg/m ³
Hungary OEL - TWA	2 mg/m ³
Japan - OELs - Ceilings	2 mg/m ³
Poland OEL - TWA	0.5 mg/m ³
Sweden OEL - TWAs	1 mg/m ³
Switzerland OEL -TWAs	2 mg/m ³

Sodium hydroxide

Czech Republic OEL - TWA 1 mg	_
Bulgaria OEL - TWA 2.0 r Czech Republic OEL - TWA 1 mg	mg/m³ g/m³
Czech Republic OEL - TWA 1 mg	g/m³
•	-
Estonia OFI - TWA 1 mg	g/m³
France OEL - TWA 2 mg	g/m³
Greece OEL - TWA 2 mg	g/m³
Hungary OEL - TWA 2 mg	g/m³
Japan - OELs - Ceilings 2 mg	g/m³
Latvia OEL - TWA 0.5 r	mg/m³
OSHA - Final PELS - TWAs: 2 mg	g/m³
Poland OEL - TWA 0.5 r	mg/m³
Slovakia OEL - TWA 2 mg	g/m³
Slovenia OEL - TWA 2 mg	g/m³

Material Name: Sul-Q-Nox

Revision date: 14-May-2014

Page 5 of 9

Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Sweden OEL - TWAs 1 mg/m³ Switzerland OEL -TWAs 2 mg/m³

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Sulfaquinoxaline

Zoetis OEB OEB 2 (control exposure to the range of 100ug/m³ to < 1000ug/m³)

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep air contamination levels below the exposure limits or within the OEB range listed above in this

section

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

Eyes: Wear safety goggles if eye contact is possible (face shield recommended if splashing is

possible).

Skin: Wear impervious protective clothing to prevent skin contact.

Respiratory protection: Whenever excessive air contamination (dust, mist, vapor) is generated, respiratory protection,

with appropriate protection factors, should be used to minimize exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:LiquidColor:Dark greenOdor:No data available.Odor Threshold:No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility: No data available

Water solubility: 100%

Water Solubility:

pH:

No data available.

Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

No data available
No data available
No data available

Specific Gravity: 1.14

Viscosity: No data available

Flammablity:

Autoignition Temperature (Solid) (°C):No data availableFlammability (Solids):No data availableFlash Point (Liquid) (°C):No data available

4001/4002

Material Name: Sul-Q-Nox
Page 6 of 9
Revision date: 14-May-2014
Version: 2.0

Upper Explosive Limits (Liquid) (% by Vol.):

No data available

No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: None

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been investigated. The information

included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Sulfaquinoxaline

Rat Oral LD50 1370 mg/kg

Potassium hydroxide

Rat Oral LD50 273 mg/kg

Sodium hydroxide

Mouse IP LD50 40 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Potassium hydroxide

Skin Irritation Rabbit Severe
Skin Irritation Guinea Pig Severe
Eye Irritation Rabbit Moderate

Sodium hydroxide

Eye Irritation Rabbit Severe Skin Irritation Rabbit Severe

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Sulfaquinoxaline

90 Day(s) Dog No route specified1 mg/kg/day NOAEL Thyroid

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Product Level Toxicity Data

Material Name: Sul-Q-Nox

Revision date: 14-May-2014

Page 7 of 9

Version: 2.0

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity Estimate

(calculated):

2440 mg/kg

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties of the formulation have not been investigated. Releases to the

environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Waste may be

classified as hazardous due to the ph/corrosivity.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

This material is regulated for transport under DOT, ADR, IMDG, and IATA regulations.

UN number: UN1719

UN proper shipping name: Caustic Alkali Liquid, n.o.s.

Technical Shipping Name: Sodium Hydroxide, Potassium Hydroxide

Transport hazard class(es): 8
Packing group: 8

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Material Name: Sul-Q-Nox
Page 8 of 9
Revision date: 14-May-2014
Version: 2.0

15. REGULATORY INFORMATION

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A

Class E

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.



Sulfaquinoxaline

CERCLA/SARA 313 Emission reporting

California Proposition 65
Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling

Not Listed

Not Listed

Present

Present

Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List

EU EINECS/ELINCS List 200-423-2

Potassium hydroxide

CERCLA/SARA 313 Emission reporting Not Listed 1000 lb **CERCLA/SARA Hazardous Substances** and their Reportable Quantities: 454 kg **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present Standard for the Uniform Scheduling Schedule 5 for Drugs and Poisons: Schedule 6 **EU EINECS/ELINCS List** 215-181-3

Sodium hydroxide

CERCLA/SARA 313 Emission reporting Not Listed **CERCLA/SARA Hazardous Substances** 1000 lb and their Reportable Quantities: 454 kg **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Present Australia (AICS): Standard for the Uniform Scheduling Schedule 5 Schedule 6 for Drugs and Poisons: **EU EINECS/ELINCS List** 215-185-5

Water

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the obligations of Register:

4001/4002

231-791-2

Material Name: Sul-Q-Nox Page 9 of 9
Revision date: 14-May-2014 Version: 2.0

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Skin corrosion/irritation-Cat.1A; Serious eye damage/eye irritation-Cat.1; H314 - Causes severe skin burns and eye damage

Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction

Sensitization, respiratory-Cat.1; H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

C - Corrosive Xn - Harmful

R22 - Harmful if swallowed. R35 - Causes severe burns.

R42/43 - May cause sensitization by inhalation and skin contact.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section

11 - Toxicology Information. Updated Section 13 - Disposal Considerations.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet