# SAFETY SUMMARY

# SUBSTANCE / PREPARATION IDENTIFICATION

MATERIAL NAME HM2 Reagent Set

SYNONYM(S) Cleaner, Lyse, Diluent, Rinse

#### HAZARDS IDENTIFICATION

SPECIFIC HAZARDS See Safety data sheets for individual ingredients.

### HANDLING CONTROLS

**ENGINEERING MEASURES TO** 

REDUCE EXPOSURE HYGIENE MEASURES

Ensure adequate ventilation, especially in confined areas. General ventilation normally adequate.

Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

#### PERSONAL PROTECTIVE EQUIPMENT

**General** Follow all local regulations if personal protective equipment (PPE) is used in the workplace.

ENVIRONMENTAL EXPOSURE CONTROLS

Avoid release to the aquatic environment. Inform appropriate managerial or supervisory personnel

of all environmental releases.

#### PERSONAL PROTECTIVE EQUIPMENT

**Eye protection** Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection Wear suitable protective clothing. Use protective clothing (uniforms, lab coats, disposable

coveralls, etc.) in both production and laboratory areas.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. No personal respiratory

protective equipment normally required.

**Hand protection** Wear appropriate chemical resistant gloves.

#### **EMERGENCY RESPONSE**

## **FIRST AID**

**Ingestion** Rinse mouth. Call a physician or poison control center immediately. Only induce vomiting at the

instruction of medical personnel. Never give anything by mouth to an unconscious person.

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Get medical advice/attention if

you feel unwell.

Skin contact Wash off immediately with soap and plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Material name: HM2 Reagent Set

Version #: 01 Issue date: 10-09-2019

1 / 1