

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read the entire label and use strictly in accordance with precautionary statements and directions. **INOVOTABS®** is for exclusive use in the **Embrex® Inovoject** at 2 tablets per gallon of water.

- 1) Treated needle surfaces will be wet during the sanitation phase of the injection cycle.
- 2) Do not keep mixed Inovotabs® solution for more than one processing day or when the solution becomes diluted or soiled. Empty all containers of solution, rinsing the containers thoroughly with tap water.
- 3) Do not use the Inovotabs® solution to clean the exterior of the Embrex® Inovoject. This will result in the removal of anodizing from aluminum components and cause other components to rust prematurely.
- 4) Use Inovotabs® only according to the Directions for Use.
- 5) Use Inovotabs® and Zostrix only on other skin conditions, other than those listed on the label.

**Note:** Water quality and injectables may affect the ability to maintain the process quality of the Embrex®Invoject during a normal day's operation. Report any issues to your Customer Service or Technical Service Representative.

- Add 2 **INVOVITABS** tablets to 1 gallon of warm water (75-104°F [25-40°C]). Lower temperatures will extend dissolution time of the tablets.
- If hatchery water supply is below 64°F (18°C) take measures to ensure water temperature is within an acceptable range at mixing time. This can include storing water overnight so that it rises to room temperature. It is important that the water temperature be raised to at least room temperature; 68-77°F (20-25°C). It is also critical that water temperature stay at or below 104°F (40°C) as temperatures higher than 104°F may reduce solution efficiency.
- Temperatures over 120°F (50°C) can cause release of chlorine to the air and thus reduce chlorine concentration of the sanitizer solution.

- Tablets should be completely dissolved before use.
- Inovotabs® solution must be freshly prepared.
- Use within one day.
- Keep in a proper labeled container to protect against contamination.
- Unused solution should be discarded in accordance with Pesticide Disposal directions on label.
- Inovotabs® must be mixed to yield solution that has a minimum concentration of 2221 ppm of chlorine. This is achieved by dissolving two (2) Inovotabs® per gallon of water.

1. Rinse out all containers and clean before daily use.
2. Use drinking or potable tap water to make the InvoNovats® solution and prepare in a Embrex® Invoject approved container.
3. Add 2 tablets per gallon (1 tablet per 7 liters) of water.
4. Warm water 75-104°F (23-40°C) may be used. DO NOT BOIL.
5. Allow tablets to dissolve completely then agitate carefully for 10 minutes.
6. Be sure the solution is not hot when the Embrex® Invoject is injecting eggs.
7. Connect the container with freshly prepared InvoNovats® solution to the Embrex® Invoject sanitation and cleaning system by carefully placing the collection tubes in the sanitizer solution and tightening the lid.
8. During normal operation additional sanitizer solution may be required. To add additional fluid to the needle punch sanitation system stop the Embrex® Invoject, remove the sanitizer container and prepare a new batch of InvoNovats® solution or replace the current sanitizer container in use with a second sanitizer container that was previously prepared with InvoNovats® solution.
9. Make a fresh solution at the start of each injection day.
10. Follow all appropriate safety guidelines when handling tablets.
11. Twist close plastic bag and close lid firmly after withdrawing tablets from container.

**Pesticide Storage:** Store in a cool, dry, well-ventilated area at a temperature below 104°F (40°C).

**Pesticide Storage:** Store in a cool, dry, well-ventilated area at a temperature below 104°F (40°C).  
**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on-site, in a toilet, or service sink served by a sanitary sewer or an approved waste disposal facility for pesticides.  
**Container Handling:** Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling, if available.

2-20-766FA&amp;P

**Effervescent Sanitizer Tablets Only for Use in  
the Embrex® Invoject**

Sodium Dichloroisocyanurate.....	41.07 %
<b>Other Ingredients:</b> .....	<b>58.93 %</b>
<b>Total:</b>	<b>100.00 %</b>

**KEEP OUT OF REACH OF CHILDREN**

## FIRST AID

<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center, doctor, or going for treatment.	
<p align="center"><b>IN THE EVENT OF A MEDICAL EMERGENCY</b>  <b>CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222</b></p>	
<p align="center"><b>NOTE TO PHYSICIAN</b></p> <p align="center">Probable mucosal damage may contraindicate the use of gastric lavage.</p>	
<p><b>NET CONTENTS: 2 X 250 Tablets</b></p>	
<p><b>NET WEIGHT: 21.2LBS (9.62kg)</b></p>	

# DANGER

**Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin.** Do not get in eyes, on skin or clothing. Avoid breathing dust. Wear chemical-resistant gloves and protective eyewear (safety glasses or face shield) when making up solution. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

This product is toxic to fish and aquatic organisms.

Inovotabs® has been tested against *Staphylococcus aureus* (ATCC 6538) and *Klebsiella pneumoniae* (ATCC 4352).

**INOVOTABS®** is for exclusive use in the Embrex® Inovoject.

**INOVOTABS®** are a single step effervescent tablet that is dissolved directly into a known volume of water (1 tablet for every 2 quarts or 2 liters of water). Inovotabs® dissolve completely and provide a more consistent pH and stable chlorine concentration over time. The chemistry of the Inovotabs® allows this product to perform well in the presence of organic challenge and perform consistently in the commercial hatchery environment.

Distributed by:

Zoetis Inc.  
333 Portage Street  
Kalamazoo, MI 49007  
U.S.A.  
Phone USA: 1-800-849-3372  
International: +1 919-941-5185

Manufactured by:

**Medentech LTD.,**  
Whitemill Ind. Estate,  
Clonard Road,  
Wexford, Ireland  
Tel: +353.53.9117900  
Fax: +353.53.9141271  
[www.medentech.com](http://www.medentech.com)

Patent No.: US 7,074,363 B2

EPA Reg. No.: 71847-3-1007  
EPA Est. No.: 71847-IRL-001

**MADE IN IRELAND**