

# KOPERTO<sup>®</sup>X

**WATER-RESISTANT PROTECTION  
WITHOUT BANDAGING**

**RECOMMENDED  
as an aid in treating horses and  
ponies with thrush due to organisms  
susceptible to copper naphthenate.**

**Do not use in horses intended  
for human consumption.**

**CAUTION: COMBUSTIBLE MIXTURE**

## Ingredients

Copper Naphthenate .....	37.5% w/w
Inert Ingredients.....	62.5% w/w
Total.....	100.0%

**FOR EXTERNAL USE ONLY**

**For Animal Use Only. Keep Out of Reach of Children.**

**236 mL (8 oz)**

ANADA 200-304, Approved by FDA

Manufactured by:  
First Priority Inc.  
Elgin, IL 60123

**zoetis**  
**Distributed by:**  
**Zoetis Inc.**  
**Kalamazoo, MI 49007**

# KOPERTO<sup>®</sup>X

**Indicated in the treatment of  
thrush in horses and ponies**

**CAUTION:** Do not use in horses intended for human consumption.

**CAUTION: COMBUSTIBLE MIXTURE**

Use in a well-ventilated place. Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately.  
Avoid breathing vapor. Avoid contact with skin and eyes.

**Keep out of reach of children and pets.**

**GENERAL DIRECTIONS:** Clean the hoof thoroughly, removing debris and necrotic material prior to application of KOPERTO<sup>®</sup>X. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess KOPERTO<sup>®</sup>X onto hair since contact with KOPERTO<sup>®</sup>X may cause some hair loss. Do not contaminate feed.

Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.

**NOTE:** KOPERTO<sup>®</sup>X is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

**CONTAINS FOIL SEAL – REMOVE BEFORE USE**

**SHAKE WELL BEFORE USE**

To report suspected adverse reactions or to obtain technical assistance, call 1-888-963-8471.

Rev. 02-14

0754I

30175400

TAKE TIME



OBSERVE LABEL  
DIRECTIONS

Lot No.:

Exp. Date:

**IMPRINT  
AREA**

