SYNOVEX® H Implants

weighing 400 lbs or more.

(testosterone propionate and estradiol benzoate implants) 200 mg testosterone propionate and 20 mg estradiol benzoate per implant

Synovex H (testosterone propionate and estradiol

benzoate implants) is recommended for use in heifers

200 mg testosterone propionate and 20 mg estradiol benzoate per implant **PELLETS**

HOW TO IMPLANT WITH

SYNOVEX H

(testosterone propionate and estradiol benzoate implants)

should be assigned to do nothing but the

hand cleanliness and use sanitary

instruments only.

100 Dose

HOW SUPPLIED

implantation. This person should maintain

When properly administered, Synovex H implants increase rate of weight gain and improve feed efficiency. Study the following instructions carefully, Do not use in yeal calves. Effectiveness and animal then proceed step by step, until the safety in yeal calves have not been established. Store at controlled room temperature 20° to 25°C technique becomes routine. Many (68° to 77°F) with excursions between 15°-30°C head can be implanted per hour by an (59°-86°F). Avoid excessive heat or humidity. experienced team, one member of which

WARNING

Not for use in humans. For animal use only. Not for dairy or beef replacement heifers. Implant pellets in the ear only. Any other location is in violation of federal law. Do not attempt salvage

of implanted site for human or animal food. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for yeal.

CAUTION Bulling, vaginal and rectal prolapse, udder development, ventral edema and elevated tailheads have been occasionally reported in heifers administered with

Synovex H implants. Keep this and all drugs out of the reach of children.

Restricted Drug (California)— Use Only as Directed

SYNOVEX® EXACT 10® Applicator

SYNOVEX® SX10 Applicator

553310

SYNOVEX® Metal Revolver

STEP 1 Loading the Applicator

outlined in the instruction manual accompanying each applicator. Additional information for the individual applicator user quides can be found at:

Load the applicator

following the directions

www.growwithsynovex.com

40030749

STEP 2 Restraint



The animal must be confined in a restraint mechanism (squeeze chute or head gate) The implant site on the back of the ear should be

prepared by scrubbing with a firm bristled brush that has been soaked in a germicidal solution.

Note: If implanting horned cattle, greater safety is provided when the head is controlled by the use of a bull lead (nose tongs)

- 6 -- 7 -

EXALT

- 5 -

be inserted in the outer one-third of the ear as indicated by the "X" in the illustration. Implanting too close to the head may cause abnormal sexual behavior. Care should be taken to avoid severing the major arteries of the

STEP 4 Insert Needle




Grasp the ear with one hand. While holding the applicator firmly with the

other hand, penetrate the skin at the point shown by the "X". Thrust the needle under the skin taking care not to penetrate the car-

tilage. Ease the applicator zoetis

forward (toward the base of the ear) until the full Distributed by: needle length is beneath the skin.

STEP 5 Pellet Implantation



When the needle is completely inserted, activate the instrument by squeezing the trigger completely. Refer to instructions for individual applicator.

STEP 6 Inspection



Check the implant site. If properly administered, the implants should lie in a

straight line under the skin. Re-cock the applicator. Disinfect the applicator needle in a germicidal

Zoetis Inc.

Kalamazoo, MI 49007

- 9 -

(testosterone propionat solution. The applicator is now ready to implant the next animal.

Hienzoate implants) **HEIFER IMPLANTS** stradiol be

For Increased Rate of Weight Gain and Improved Feed Efficiency

200 mg testosterone propionate and

20 mg estradiol benzoate per implant

This product was manufactured

by a non-sterilizing process. Do Not Use In Veal Calves

Not For Use In Humans For Animal Use Only













40030749