

50 doses
100 ml



Salmonella Newport Bacterial Extract

SRP[®] Salmonella
(Siderophore Receptors
and Porins)

INDICATIONS: For use in cattle 6 months of age or older as an aid in the control of disease and fecal shedding caused by infection with *Salmonella* Newport.

DIRECTIONS: Shake well before use. Administer 2 mL (1 dose) subcutaneously. Revaccinate in 2 to 4 weeks. Dry cows and bred heifers should be vaccinated twice before calving; whole herd vaccination may be done at any stage of lactation. The need for annual booster vaccinations has not been established for this product; consultation with a veterinarian is recommended.

CAUTION: Store at 35° to 46°F (2° to 8°C). DO NOT FREEZE. Use entire contents when first opened. Do not vaccinate within 60 days of slaughter. Transient swelling may occur at the injection site. In case of allergic response, administer flunixin meglumine and/or epinephrine. Contains an emulsified adjuvant; in case of self-injection, seek immediate medical attention. Contains formaldehyde and polymyxin-B as preservatives. Do not mix with other products.

Technical inquiries: (888) 963-8471

For use by, or under the supervision of, a licensed veterinarian.
Pat. Nos. 7,371,393, 7,138,124 and 9,109,028



Manuf. by: EpiTopix, LLC
Willmar, MN 56201
VLN 365/PCN 2811.00

zoetis

Zoetis Inc.
Kalamazoo, MI 49007, USA

FPO: UPC @ 80%



50118801

6