

Title: ALFAXAN MULTIDOSE IDX (ALFAXALONE 10 MG/ML) ZOETIS Document: SDS-US009

Rev: 1.1 PAGE 1 OF 11

Status: Current | Issue Date: 21-Jul-2023 | Effective Date: 21-Jul-2023 | Review Date: 20-Jul-2028

Section 1: IDENTIFICATION of CHEMICAL PRODUCT and COMPANY

Product Identifier used on label: Alfaxan Multidose IDX (alfaxalone 10 mg/mL)

Other means of identification:

Product Code: Jurox product codes – 520805 (10 mL); 520810 (20 mL)

Zoetis SAP codes - 10026698 (10 mL); 10026695 (20mL)

Common name / synonyms: 10 mg/mL Alfaxalone solution for injection, Alfaxan MD IDX.

Recommended Use of the Chemical and Restrictions on Use:

Recommended Use: Intravenous injectable anesthetic for use in multiple minor species.

Restrictions on Use: For veterinary use only. Federal law restricts this drug to use by or on the

order of a licensed veterinarian. Extra label use is prohibited.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

Importer: Zoetis Inc.

Address: 10 Sylvan Way

Parsippany, New Jersey 07054, USA

Telephone number: 1-800-366-5288

Emergency telephone number:

Rocky Mountain Poison and Drug Center: 1-866-531-8896

CHEMTREC (24 hours): 1-800-424-9300

International CHEMTREC (24 hours): +1-703-527-3887

Section 2: HAZARDS IDENTIFICATION

Hazard Classifications:

This product has been assessed according to GHS (Rev 3) in accordance with OSHA Standard §1910.1200 paragraph (d).

GHS Category	Hazard code	Hazard Statements
Flammable Liquid Category 3	H226	Flammable liquid and vapor
Eye Irritant Category 2A	H319	Causes serious eye irritation

Signal Word: WARNING

GHS Symbols:







 Title: ALFAXAN MULTIDOSE IDX (ALFAXALONE 10 MG/ML) ZOETIS
 Document: SDS-US009

 Rev: 1.1
 PAGE 2 OF 11

 Status: Current
 Issue Date: 21-Jul-2023
 Effective Date: 21-Jul-2023
 Review Date: 20-Jul-2028

GHS Precautionary Statements:

Prevention

P210 Keep away from heat / sparks / open flames / hot surfaces – No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/intrinsically safe equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

Response

P370 + P378 In case of fire: Use water spray / fog for extinction.

P303 + P361 + P353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing.

Rinse skin with water / shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of unused product in accordance with local regulations. Dispose of empty

container by wrapping with paper and placing in garbage. Discarded needles should immediately be placed in a designated and appropriately labelled 'sharps' container.

Hazards not otherwise classified that have been identified during the classification process:

None.

Ingredient(s) with unknown acute Toxicity:

None.

Section 3: COMPOSITION / INFORMATION on INGREDIENTS

CHEMICAL NAME	CAS No.	GHS Classification	CONTENT
Alfaxalone	23930-19-0	Not listed	1 %
Ethanol	64-17-5	Eye Irritant Category 2A Flammable Liquid Category 3	< 24%
Chlorocresol	59-50-7	Skin Sensitizer Category 1	< 1 %
Ingredients not contributing to hazards	-	Not listed	> 60 %

- There are no impurities or stabilizing additives which are themselves classified and which contribute to the classification of the substance.
- Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200 – Hazard Communication, the exact percentage composition of this mixture has been withheld as a trade secret.



Title: ALFAXAN MULTIDOSE IDX (ALFAXALONE 10 MG/ML) ZOETIS

Document: SDS-US009

Rev: 1.1

PAGE 3 OF 11

Status: Current

Issue Date: 21-Jul-2023

Effective Date: 21-Jul-2023

Review Date: 20-Jul-2028

Section 4: FIRST AID MEASURES

Description of First aid measures:

General: Consult the CHEMTREC on 1-800-424-9300 or a doctor immediately in every case

of suspected chemical poisoning. Never give fluids or induce vomiting if a patient is unconscious or convulsing regardless of cause of injury. If medical advice/attention

is needed, have this SDS, product container or label at hand.

Inhalation: Remove patient to fresh air. Lay patient down and keep warm and rested. If

breathing is shallow or has stopped, ensure airway is clear and apply resuscitation.

If breathing is difficult, give oxygen. Seek medical assistance immediately.

Ingestion: DO NOT induce vomiting. Rinse mouth. Keep subject warm and at rest. Seek

medical advice immediately.

Skin: Wash affected area thoroughly with plenty of soap and water for at least 15 minutes.

If skin irritation or rash occurs, get medical advice / attention.

Eye: Rinse cautiously with water for at least 20 minutes. Continue rinsing. If eye irritation

persists, get medical advice/attention.

Injection: Treat as for needle stick injury. Wash the wound thoroughly with soap and water or

use a waterless cleanser or antiseptic if water is unavailable. Apply a dressing as necessary and apply pressure through the dressing if bleeding is still occurring. Do not squeeze or rub the injury site. Dispose of the needle in a suitable sharps container and seek medical advice/attention immediately. If overdose has occurred, remove the individual from the source of exposure and seek medical attention.

Respiratory depression should be treated by artificial ventilation and oxygen.

Facilities: Ready access to running water and soap. Accessible eyewash.

Most important symptoms/effects, acute and delayed:

Symptoms: For information on potential signs and symptoms of exposure, See Section 2 -

Hazards Identification and/or Section 11 - Toxicological Information.

Indication of the Immediate Medical Attention and Special Treatment Needed:

Note to Physician: This product contains an injectable neurosteroid anesthetic. Treat symptomatically

with attention to the maintenance of cardiovascular and respiratory functions.

Section 5: FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable media: Foam, dry chemical powder, BCF (where regulations permit), carbon dioxide, water

spray or fog (large fires only).

Special Hazards Arising from the Chemical:

Fire Incompatibility: Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine

bleaches, pool chlorine etc. as ignition may result.



Document: SDS-US009 Title: ALFAXAN MULTIDOSE IDX (ALFAXALONE 10 MG/ML) ZOETIS Rev: 1.1 PAGE 4 OF 11 Effective Date: 21-Jul-2023 Review Date: 20-Jul-2028 Status: Current Issue Date: 21-Jul-2023

Hazardous Combustion Products:

Combustion products include carbon monoxide, carbon dioxide and other pyrolysis products typical of burning organic material.

Special protective equipment and precautions for fire-fighters:

Fire Fighting: Alert Fire Brigade and tell them location and nature of hazard.

May be violently or explosively reactive.

Wear breathing apparatus plus protective gloves.

Prevent by any means available, spillage from entering drains or water

If safe, switch off electrical equipment until vapour fire hazard removed. Use water delivered as a fine spray to control fire and cool adjacent area.

Fire Explosion Hazard: Liquid and vapour are flammable.

Moderate fire hazard when exposed to heat or flame.

Vapour forms an explosive mixture with air.

Moderate explosion hazard when exposed to heat or flame. Vapour may travel a considerable distance to source of ignition.

Heating may cause expansion or decomposition leading to violent rupture of

containers.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Ensure adequate ventilation. Use appropriate personal protective equipment to avoid breathing vapours and contact with skin and eyes (see section 8).

Methods and materials for containment and cleaning up:

Minor Spills: Clean up all spills immediately. Contain and absorb small quantities with

paper towel or other suitable absorbent material. Wipe up and rinse area

with water.

Major Spills: Exclude non-essential people from the area. Alert Fire Brigade and tell them

> location and nature of hazard. May be violently or explosively reactive. Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Ventilate area and wash spill site after pick-up complete. Prevent, by any means available, spillage

from entering drains or water course.

Protective Clothing: For appropriate personal protective equipment see section 8.

Environmental Precautions: Place waste in an appropriately labelled, sealed container for disposal.

Prevent waste from entering drains, waterways or sewers. If contamination

of drains and waterways occurs, advise local authority.

Section 7: HANDLING AND STORAGE

Precautions for safe handling:

This is a Controlled Drug (Class IV) with federal law restricting this drug to use by or on the order of a licensed veterinarian. Prescribing practitioners must adhere to the laws and regulations of the FDA, DEA, the



Title: ALFAXAN MULTIDOSE IDX (ALFAXALONE 10 MG/ML) ZOETIS			Document: SD	S-US009
			Rev: 1.1	PAGE 5 OF 11
Status: Current Issue Date: 21-Jul-2023 Effective Date: 21-Jul-2023			Review Date:	20-Jul-2028

States in which they are practising and their licencing boards. If discrepancies between Federal and State laws exist, the more stringent of the two must be followed.

Use in a well-ventilated area. Avoid naked lights or ignition sources. Do not eat, drink, smoke or apply cosmetics while handling the product. Wash hands thoroughly after handling.

Avoid accidental injection, ingestion, inhalation and contact with skin and eyes. Use personal protective equipment as required (see section 8).

Conditions for safe storage, including any incompatibilities:

Storage: Store in original container at controlled room temperature 20°C - 25°C (68° to 77°F)

with excursions between 15° and 30°C (59° and 86°F). No smoking, naked lights, heat or ignition sources.

ALFAXAN MULTIDOSE IDX contains preservatives. The product can be used for 56 days after broaching the vial. Any unused ALFAXAN MULTIDOSE IDX remaining

after 56 days should be discarded.

Incompatibilities: Avoid oxidising agents, acids, acid chlorides, acid anhydrides, chloroformates.

Other Information: Always read the label before use. See label for further information on handling and

storage.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

No exposure limits have been assigned for the manufactured product. Use with adequate ventilation. Follow standard veterinary product handling procedures.

Do not handle until all safety precautions have been read and understood. Due to the small volumes involved, and the methods of administration, exposure under normal conditions of use would likely be limited to splashing on to skin or into eyes, or accidental self-injection.

Exposure limits for the major components are as follows:

Occupational Exposure Limits (OEL):

Component	Exposure			
Component	Туре	TWA mg/m ³	STEL ppm	
Alfaxalone	US NIOSH Recommended Exposure Limits (RELs)	NE	NE	
Alfaxalone	US ACGIH Threshold Limit Values (TLV)	NE	NE	
Alfaxalone	US OSHA Permissible Exposure Levels (PELs)	NE	NE	
Ethanol	US NIOSH Recommended Exposure Limits (RELs)	1000 ppm / 1900 mg/m ³	NE	
Ethanol	US ACGIH Threshold Limit Values (TLV)	NE	1000 ppm	
Ethanol	US OSHA Permissible Exposure Levels (PELs)	1000 ppm / 1900 mg/m ³	NE	
Chlorocresol	US NIOSH Recommended Exposure Limits (RELs)	0.5 mg/m ³	NE	
Chlorocresol	US ACGIH Threshold Limit Values (TLV)	0.5 mg/m ³	NE	
Chlorocresol	US OSHA Permissible Exposure Levels (PELs)	0.5 mg/m ³	NE	

NE - Not established.



 Title: ALFAXAN MULTIDOSE IDX (ALFAXALONE 10 MG/ML) ZOETIS
 Document: SDS-US009

 Rev: 1.1
 PAGE 6 OF 11

 Status: Current
 Issue Date: 21-Jul-2023
 Effective Date: 21-Jul-2023
 Review Date: 20-Jul-2028

Emergency Limits:

Component	TEEL-1	TEEL-2	TEEL-3
Alfaxalone	N/A	N/A	N/A
Ethanol	N/A	N/A	15000 ppm
Chlorocresol	5.5 mg/m ³	60 mg/m ³	360 mg/m ³

N/A - not available

Appropriate Engineering Controls:

Use only in a well-ventilated area. Ensure that the work environment remains clean.

Individual protection measures, such as personal protective equipment:

Protective Equipment (PPE):

Eye protection: Safety glasses / chemical goggles. **Hand protection:** Chemical protective gloves e.g. PVC.

Feet protection: Safety footwear. Safety gumboots e.g. rubber if working with large

quantities.

Body protection: Protective clothing / Overalls / PVC apron.

PVC protective suit may be required if exposure severe.

Respiratory Protection: Not required for the normal use of this product. If required – Type AB-P filter

of sufficient capacity is recommended.

Other protection: Eyewash unit and ready access to a safety shower.

Hygiene precautions: Do not eat, drink, smoke or apply cosmetics while handling the product.

Wash hands thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, colourless liquid	Upper / Lower Flammability Limits	Not available.
Odour	Not available.	Vapour Pressure	Not available.
Odour Threshold	Not available.	Vapour Density	Not available.
рН	Approx. 7	Relative Density / Specific Gravity	1.01
Melting Point / Freezing Point	Not available.	Solubility	Miscible in water.
Boiling Point and Boiling Range	Not available.	Partition Coefficient (n-octanol/water)	Not available.
Flash Point	43.5°C	Auto-Ignition Temperature	Not available.
Evaporation Rate	Not available.	Decomposition Temperature	Not available.
Flammability	Flammable	Viscosity	Not available.

Section 10: STABILITY AND REACTIVITY

Reactivity: May react with oxidizing agents.

Chemical Stability: Stable under normal conditions of storage and handling. When stored

appropriately this product should show no significant degradation before the expiry date indicated on the packaging. Unstable in the presence of



Title: ALFAXAN MULTIDOSE IDX (ALFAXALONE 10 MG/ML) ZOETIS

Document: SDS-US009

Rev: 1.1 PAGE 7 OF 11

Status: Current Issue Date: 21-Jul-2023 Effective Date: 21-Jul-2023 Review Date: 20-Jul-2028

incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.

Possibility of hazardous reactions:

Heating may cause expansion or decomposition leading to violent rupture of containers. Avoid contamination with oxidising agents as ignition may result.

Conditions to Avoid: Avoid smoking, naked lights, heat, spark, flames and all other sources of

ignition. Avoid prolonged exposure to higher temperatures and/or direct

sunlight.

Incompatible Materials: Avoid oxidising agents, acids, acid chlorides, acid anhydrides,

chloroformates.

Hazardous Decomposition Products:

Combustion products include carbon monoxide, carbon dioxide, other

pyrolysis products typical of burning organic material.

Section 11: TOXICOLOGICAL INFORMATION

Routes of Exposure and symptoms related to the physical, chemical and toxicological characteristics:

Toxicological properties of the formulation have not been investigated. The information in this Section describes the potential hazards of the individual ingredients and the formulation.

Inhalation: The product is not thought to produce adverse health effects or irritation of

the respiratory tract. Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by sleepiness, reduced alertness, loss of reflexes, lack of co-ordination, and vertigo. Animal testing shows that the most common signs of inhalation overdose are incoordination and

drowsiness.

Ethanol: Inhalation (rat) LC₅₀: 124.7 mg/L/4h

Ingestion: Ingestion of ethanol (ethyl alcohol, "alcohol") may produce nausea,

vomiting, bleeding from the digestive tract, abdominal pain, and diarrhoea. Effects may also include impaired vision, reduces co-ordination and reaction time, emotional instability, flushing, sweating, changes in heart rate, and central nervous system depression. Ingestion of alfaxalone may produce

drowsiness or sedation and central nervous system depression.

Ethanol: Oral (rat) LD₅₀: 1501 mg/kg
Alfaxalone: Oral (rat) LD₅₀: 297 mg/kg
Chlorocresol: Oral (mouse) LD₅₀: 600 mg/kg

Skin: The product is not thought to produce adverse health effects or skin irritation

following contact. However, open cuts, abraded or irritated skin should not be exposed to this material. Entry into the bloodstream through for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.

Alfaxalone: Dermal (rat) LD_{50} : > 2,200 mg/kg Chlorocresol: Dermal (rat) LD_{50} : > 500 mg/kg

Eye: The product is considered to be an Eye Irritant Category 2A and may

cause eye irritation is some persons.



Title: ALFAXAN MULTIDOSE IDX (ALFAXALONE 10 MG/ML) ZOETIS Docum

Document: SDS-US009

Rev: 1.1

PAGE 8 OF 11

Status: Current

Issue Date: 21-Jul-2023

Effective Date: 21-Jul-2023

Review Date: 20-Jul-2028

Ethanol: Eye (rabbit): 500 mg - Severe irritation

Eye (rabbit) 100 mg / 24 hr - Moderate irritation.

Injection: Alfaxalone is an anaesthetic. The product will cause drowsiness, dizziness

or anaesthesia. Overdose is likely to cause cardiorespiratory depression

(such as hypotension, bradycardia and/or apnea).

Alfaxalone: Intravenous LD₅₀ (rat): 19.4 mg/kg

Intraperitoneal LD $_{50}$ (rat): 116 mg/kg Subcutaneous LD $_{50}$ (rat): 2200 mg/kg

Chlorocresol: Intravenous LD₅₀ (mouse): 70 mg/kg

Subcutaneous LD₅₀ (mouse): 360 mg/kg Ethanol: Intravenous LD50 (rat): 1440 mg/kg

> Intraperitoneal LD₅₀ (rat): 3.6 mg/kg Subcutaneous LD₅₀ (mouse): 8285 mg/kg

Chronic Effects:

Short term: No adverse effects were reported from intraperitoneal administration of alfaxalone to rats of

up to 50 mg/kg/day for one month, or up to 20 mg/kg/day for 3 months.

Long term: Prolonged exposure to ethanol may cause damage to the liver and cause scarring. It may

also worsen damage caused by other agents.

Reproductive Toxicity:

Neither the product nor its ingredients are considered to affect reproduction. Studies using alfaxalone in pregnant mice, rats and rabbits have demonstrated no deleterious effects on gestation of the treated animals or on the reproductive performance of their offspring.

Carcinogenicity:

There are no reports of the carcinogenicity of the product in animals or humans in the published literature or pharmacovigilance data, and no pre-neoplastic lesions were observed in repeat dose toxicity or target species safety studies.

Ingredient	National Toxicology Program (NTP) 14 th Report on Carcinogens (2016)	International Agency for Research on Cancer (IARC) Monographs	29 CFR 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA)
Alfaxalone	Not listed	Not listed	Not listed
Ethanol	Not listed	Not listed	Not listed
Chlorocresol	Not listed	Not listed	Not listed

Section 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: Not determined for product.

Alfaxalone: No data available.

Ethanol: LC₅₀ (96 hr) (fish): 11 mg/L

EC₅₀ (48 hr) (crustacea): 2 mg/L

EC₅₀ (96 hr) (algae / aquatic plants): 17.921 mg/L

NOEC (2016 hr) (fish): 0.000375 mg/L

Chlorocresol: LC₅₀ (96 hr) (fish): 0.971 mg/L

EC₅₀ (48 hr) (crustacea): 1.5 mg/L



Title: ALFAXAN MULTIDOSE IDX (ALFAXALONE 10 MG/ML) ZOETIS

Document: SDS-US009

Rev: 1.1

PAGE 9 OF 11

Status: Current

Issue Date: 21-Jul-2023

Effective Date: 21-Jul-2023

Review Date: 20-Jul-2028

EC₅₀ (72 hr) (algae / aquatic plants): 4.2 mg/L

NOEC (672 hr) (fish): 0.15 mg/L

Persistence and degradability: Not determined for product.

Alfaxalone: No data available.

Ethanol: Water/soil: LOW (Half-life = 2.17 days)

Air: LOW (Half-life = 5.08 days)

<u>Chlorocresol</u>: Water/soil: LOW (Half-life = 49 days)

Air: LOW (Half-life = 0.67 days)

Bioaccumulation: Not determined for product.

Alfaxalone: No data available.

Ethanol: LOW (LogKOW = -0.31)

<u>Chlorocresol</u>: LOW (BCF = 13)

Mobility in soil: Not determined for product.

Alfaxalone: No data available.

Ethanol: HIGH (KOC = 1)

Chlorocresol: LOW (KOC = 717.6).

Section 13: DISPOSAL INFORMATION

Product Disposal: All waste materials must be properly characterized. Place waste in an appropriately

labelled, sealed container for disposal. Further, disposal should be performed in accordance with federal, state and local regulatory requirements. Prevent waste

from entering drains, waterways or sewers.

Container Disposal: Dispose of container and unused contents in accordance with federal, state and

local regulations.

Section 14: TRANSPORT INFORMATION

IMDG Code: Not Regulated.

SP No. 144: An aqueous solution containing not more than 24% alcohol by volume is not

subject to the provisions of the IMDG Code.

ICAO/IATA: Not Regulated.

SP No. A58 (144): An aqueous solution containing not more than 24% alcohol by volume is

not subject to the IATA Dangerous Goods Regulations.

US DOT: Not Regulated.

49CFR173.150(e)(2): An aqueous solution containing 24 % or less alcohol by volume and no other hazardous material is not subject to the requirements of Subchapter C: HAZARDOUS MATERIALS REGULATIONS if it contains no less than 50 percent water.

Section 15: REGULATORY INFORMATION

NDC Number: 54771-6698

FDA Information: This product is INDEXED – MIF-900-031

Harmonised Tariff Code: 3004.90.9203



Title: ALFAXAN MULTIDOSE IDX (ALFAXALONE 10 MG/ML) ZOETIS Document: SDS-US009

Rev: 1.1 PAGE 10 OF 11

Status: Current | Issue Date: 21-Jul-2023 | Effective Date: 21-Jul-2023 | Review Date: 20-Jul-2028

TSCA Inventory Status: Exempt

CERCLA Status: Not determined

RCRA Status: Not an RCRA Hazardous Waste

Proposition 65 Status: Does not contain chemicals known to the state of California to cause cancer

or reproductive harm.

USA Regulations:

Substance	SARA 302 Status	SARA 304	SARA 313 Status	PROP 65 Status
Alfaxalone	Not listed	Not listed	Not listed	Not listed

Section 16: OTHER INFORMATION

Legend:

American Association of Poison Control Centres American Conference of Governmental Industrial Hygienists Bromochlorodifluoromethane (fire extinguishing media) Bio Concentration Factor Chemical Abstracts Service Number US EPA law, Comprehensive Environmental Response, Compensation and Liability Act US Department of Transport regulations The median effect concentration, being a statistically derived concentration of a substance that can be expected to cause an adverse reaction in 50% of organisms or a 50% reduction in growth or in the growth rate of organisms
Bromochlorodifluoromethane (fire extinguishing media) Bio Concentration Factor Chemical Abstracts Service Number US EPA law, Comprehensive Environmental Response, Compensation and Liability Act US Department of Transport regulations The median effect concentration, being a statistically derived concentration of a substance that can be expected to cause an adverse reaction in 50% of organisms or a 50% reduction in growth or in the growth
Bio Concentration Factor Chemical Abstracts Service Number US EPA law, Comprehensive Environmental Response, Compensation and Liability Act US Department of Transport regulations The median effect concentration, being a statistically derived concentration of a substance that can be expected to cause an adverse reaction in 50% of organisms or a 50% reduction in growth or in the growth
Chemical Abstracts Service Number US EPA law, Comprehensive Environmental Response, Compensation and Liability Act US Department of Transport regulations The median effect concentration, being a statistically derived concentration of a substance that can be expected to cause an adverse reaction in 50% of organisms or a 50% reduction in growth or in the growth
US EPA law, Comprehensive Environmental Response, Compensation and Liability Act US Department of Transport regulations The median effect concentration, being a statistically derived concentration of a substance that can be expected to cause an adverse reaction in 50% of organisms or a 50% reduction in growth or in the growth
US Department of Transport regulations The median effect concentration, being a statistically derived concentration of a substance that can be expected to cause an adverse reaction in 50% of organisms or a 50% reduction in growth or in the growth
The median effect concentration, being a statistically derived concentration of a substance that can be expected to cause an adverse reaction in 50% of organisms or a 50% reduction in growth or in the growth
expected to cause an adverse reaction in 50% of organisms or a 50% reduction in growth or in the growth
rate of organisms
US Environmental Protection Agency
Food and Drug Administration, US Dept. of Health and Human Services
Globally Harmonized System of Classification and Labelling of Chemicals
Hazard Communication Standard
International Agency for Research on Cancer
International Air Transport Association
International Civil Aviation Organization
International Maritime Dangerous Goods Code
Soil-Water Partition Coefficient. The ratio of a chemical's concentration that is adsorbed in the soil to the
concentration of chemical in solution
Octanol Water Partition Coefficient. The ratio of a compound's concentration in a known volume of n-octanol to its concentration in a known volume of water after the octanol and water have reached equilibrium
The median lethal concentration, being a statistically derived concentration of a substance that can be
expected to cause death in 50% of animals
The median lethal dose, being a statistically derived single dose of a substance that can be expected to
cause death in 50% of animals
No Observed Effect Concentration
National Toxicology Program
Occupational Safety & Health Administration (United States Department of Labor)
Occupational Exposure Limits
Permissible Exposure Limit
Personal Protective Equipment
California Proposition 65
Polyvinyl chloride
US EPA, Resource Conservation and Recovery Act
Superfund Amendments and Reauthorization Act
Safety Data Sheet
Short term exposure limit
Temporary Emergency Exposure Limits. Guidelines designed to predict the response of members of the
general public to different concentrations of a chemical during an emergency response incident



Title: ALFAXAN MI	Document: SDS-US009			
			Rev: 1.1	PAGE 11 OF 11
Status: Current Issue Date: 21-Jul-2023 Effective Date: 21-Jul-2023 Review Date		Review Date:	20-Jul-2028	

TEEL-1	The airborne concentration of a substance above which it is predicted that the general population, including susceptible individuals, could experience notable discomfort, irritation, or certain asymptomatic, nonsensory effects. However, these effects are not disabling and are transient and reversible upon cessation of exposure
TEEL-2	The airborne concentration of a substance above which it is predicted that the general population, including susceptible individuals, could experience irreversible or other serious, long-lasting, adverse health effects or an impaired ability to escape.
TEEL-3	The airborne concentration of a substance above which it is predicted that the general population, including susceptible individuals, could experience life-threatening adverse health effects or death
TSCA	Toxic Substance Control Act
TLV	Threshold Limit Value
TWA	Time-Weighted Average. The average exposure over a specified period, usually a nominal eight hours
VSD	Veterinary Substances Database

References:

National Toxicology Program (NTP) 14th Report on Carcinogens (online). Available at: https://ntp.niehs.nih.gov/ntp/roc/content/listed substances 508.pdf, accessed 20 Jan 2020.

International Agency for Research on Cancer (IARC) Monographs (online) Available at: https://monographs.iarc.fr/list-of-classifications, last updated 12th Dec 2019.

29 CFR 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA), (online) Available at: https://www.ecfr.gov/cqi-bin/text-

idx?SID=3820a5c408e622a700e481f46eb4a153&mc=true&node=pt29.6.1910&rgn=div5 current as of 16th Jan 2020.

Veterinary Substances Data Base (VSDB) Alphaxalone (online) Available at: http://sitem.herts.ac.uk/aeru/vsdb/Reports/1759.htm last updated 3rd June 2019.

ChemIDplus https://chem.nlm.nih.gov/chemidplus/

The format follows that prescribed in the Hazard Communication Standard (HCS) (29 CFR 1910.1200(g)) revised in 2012.

Revision History:

Date of Revision	Reason	
19 June 2023	New SDS for Zoetis distributed products	
21 July 2023	1 July 2023 Addition of Zoetis SAP codes to Section 1	

This information is based on data believed by the manufacturer Jurox Pty Limited to be accurate at the time of writing but is subject to change without notice. It is given in good faith, but no warranty expressed or implied is made as to its accuracy, completeness otherwise and no assumption of liability from whosoever arising is made by Jurox Pty Limited by reason of the provision of this information. Every person dealing with the materials referred to herein do so at his/her own risk absolutely and must make independent determinations of suitability and completeness of information from all sources to ensure their proper use.

END OF SDS