

Revision date: 28-May-2014 Version: 1.0 Page 1 of 11

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

Product Identifier

Material Name: High D 2X

Not established **Trade Name:** D3 4 MIU/OZ DLC Synonyms:

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem **Belgium**

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300 VMIPSrecords@zoetis.com **Contact E-Mail:**

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Brown liquid

Classification of the Substance or Mixture

Acute Oral Toxicity: Category 4 Acute Dermal Toxicity: Category 5

Acute Toxicity - Dusts and Mists: Category 5 Serious Eye Damage/Eye Irritation: Category 1

Specific target organ systemic toxicity (repeated exposure): Category 1

Flammable liquids- Category 3

EU Classification:

EU Indication of danger: T - Toxic

Xn - Harmful Xi - Irritant

EU Symbol:

R23 - Toxic by inhalation. R22 - Harmful if swallowed.

R41 - Risk of serious damage to eyes.

R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Label Elements

Signal Word: Danger

Material Name: High D 2X

Revision date: 28-May-2014

Page 2 of 11

Version: 1.0

2. HAZARDS IDENTIFICATION

Hazard Statements: H226 - Flammable liquid and vapor

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H313 - May be harmful in contact with skin

H333 - May be harmful if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary Statements: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting/equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P233 - Keep container tightly closed

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P314 - Get medical attention/advice if you feel unwell

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTRE or doctor/physician

P301+ P312 - IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel

unwell

P330 - Rinse mouth

P304 + P312 - IF INHALED: Call a POISON CENTRE or doctor/physician if you feel unwell

P370 + P378 - In case of fire: Use alcohol-resistent foam or dry chemical for extinction

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards

Short Term: May cause skin irritation. May cause respiratory tract irritation. Vapors may cause drowsiness

and dizziness.

Long Term:

Australian Hazard Classification

(NOHSC):

Note:

may have the potential to produce effects on the developing fetus.

Hazardous Substance. Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Material Name: High D 2X
Revision date: 28-May-2014
Page 3 of 11
Version: 1.0

3. COMPOSITION/INFORMATION ON INGREDIENTS						
Ingredient	CAS Number	EU EINECS/ELINCS	EU Classification	GHS Classification	%	
Polyethylene glycol 400	25322-68-3	List Not Listed	Not Listed	Not Listed	50 - 70	
Propanol	71-23-8	200-746-9	F; R11 Xi; R41 R67	STOT SE 3 (H336) Flam. Liq. 2 (H225) Eye Dam. 1 (H318)	5 - 10	
Butylated hydroxytoluene	128-37-0	204-881-4	Not Listed	Not Listed	3	
Cholecalciferol (Vitamin D3)	67-97-0	200-673-2	T; R24/25-48/25 T+; R26	Acute Tox. 3 (H301) Acute Tox. 3 (H311) STOT RE 1 (H372) Acute Tox. 2 (H330)	< 2	

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Polysorbate 80	9005-65-6	Not Listed	Not Listed	Not Listed	20

Additional Information: Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Material Name: High D 2X

Revision date: 28-May-2014

Page 4 of 11

Version: 1.0

Hazardous Combustion

Products:

Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Flammable liquid. May generate flammable vapors. Fine particles (such as mists) may fuel

fires/explosions.

Advice for Fire-Fighters

In use, may form flammable/explosive vapour-air mixture. During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus. Use spark-proof tools and explosion-proof equipment

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Ground and bond containers when transferring material.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

Collecting:

Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Contain the source of the spill if it is safe to do so. Absorb spills with non-combustible absorbent material and transfer into a labeled container for

disposal. Clean contaminated surface thoroughly.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Flammable liquid and vapor- keep away from ignition sources and clean up spills promptly. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Avoid contact with eyes, skin, and clothing. Use appropriate personal protective equipment. Wash thoroughly after handling. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat, sparks,

flame, and other sources of ignition.

Storage Temperature: 45 - 60 F

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Polyethylene glycol 400

Austria OEL - MAKs1000 mg/m³Germany - TRGS 900 - TWAs1000 mg/m³

Germany (DFG) - MAK 1000 mg/m³ average molecular weight 200-600

 Slovakia OEL - TWA
 1000 mg/m³

 Slovenia OEL - TWA
 1000 mg/m³

 Switzerland OEL -TWAs
 1000 ppm

Material Name: High D 2X
Revision date: 28-May-2014
Page 5 of 11
Version: 1.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Propanol

ACGIH Threshold Limit Value (TWA) Australia STEL Australia TWA Austria OEL - MAKs Belgium OEL - TWA Bulgaria OEL - TWA	100 ppm 250 ppm 614 mg/m³ 200 ppm 492 mg/m³ 200 ppm 500 mg/m³ 100 ppm 250 mg/m³ 300.0 mg/m³
Czech Republic OEL - TWA Denmark OEL - TWA	500 mg/m ³ 200 ppm 500 mg/m ³
Estonia OEL - TWA	150 ppm 350 mg/m ³
Finland OEL - TWA	200 ppm 500 mg/m ³
France OEL - TWA	200 ppm 500 mg/m ³
Greece OEL - TWA	200 ppm 500 mg/m ³
Ireland OEL - TWAs Latvia OEL - TWA Vietnam OEL - TWAs OSHA - Final PELS - TWAs:	100 ppm 10 mg/m ³ 350 mg/m ³ 200 ppm 500 mg/m ³
Poland OEL - TWA Portugal OEL - TWA Romania OEL - TWA	200 mg/m ³ 200 ppm 81 ppm 200 mg/m ³
Spain OEL - TWA	200 ppm 500 mg/m ³
Sweden OEL - TWAs	150 ppm 350 mg/m ³
Switzerland OEL -TWAs	200 ppm 500 mg/m ³

Butylated hydroxytoluene

ACGIH Threshold Limit Value (TWA)	2 mg/m ³
Australia TWA	10 mg/m ³
Austria OEL - MAKs	10 mg/m ³
Belgium OEL - TWA	2 mg/m ³
Bulgaria OEL - TWA	10.0 mg/m ³
Denmark OEL - TWA	10 mg/m ³
Finland OEL - TWA	10 mg/m ³
France OEL - TWA	10 mg/m ³
Germany - TRGS 900 - TWAs	10 mg/m ³
Germany (DFG) - MAK	10 mg/m ³
Greece OEL - TWA	10 mg/m ³
Ireland OEL - TWAs	10 mg/m ³
Portugal OEL - TWA	2 mg/m ³

ZT00287

Material Name: High D 2X Page 6 of 11 Revision date: 28-May-2014 Version: 1.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Slovenia OEL - TWA 10 mg/m³ Switzerland OEL -TWAs 10 mg/m³

Cholecalciferol (Vitamin D3)

Zoetis OEB OEB 5 (control exposure to <1ug/m3)

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Use process

enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels

below recommended exposure limits or within the OEB range.

Refer to applicable national standards and regulations in the selection and use of personal **Personal Protective** protective equipment (PPE).

Equipment:

Hands: Wear impervious gloves if skin contact is possible.

Eyes: Safety glasses or goggles

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

Respiratory protection: If airborne exposures are within or exceed the OEB, wear an appropriate respirator with a

protection factor sufficient to control exposures to below the OEB range. Respiratory protection

should be worn to supplement engineering controls when handling this compound.

9. PHYSICAL AND CHEMICAL PROPERTIES

Liquid Color: Brown **Physical State:**

No data available. **Odor Threshold:** No data available. Odor:

Molecular Formula: Mixture **Molecular Weight:** Mixture

Solvent Solubility: No data available

Water Solubility: Miscible:

No data available. pH: **Melting/Freezing Point (°C):** No data available **Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available.

No data available **Evaporation Rate (Gram/s):** Vapor Pressure (kPa): No data available Vapor Density (g/ml): No data available **Relative Density:** No data available

Specific Gravity: 0.97

Viscosity: No data available

Flammablity:

Autoignition Temperature (Solid) (°C): No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): 56.1 C / 133 F Upper Explosive Limits (Liquid) (% by Vol.): No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available

Material Name: High D 2X Page 7 of 11 Revision date: 28-May-2014 Version: 1.0

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Possibility of Hazardous Reactions Stable under normal conditions of use.

Oxidizing Properties: No data available

Conditions to Avoid: Keep away from heat and other sources of ignition, including electrostatic discharge.

Incompatible Materials: As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition Thermal decomposition products may include carbon monoxide, carbon dioxide and other toxic

Products:

TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been investigated. The following

information is available for the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Propanol

Oral LD50 1.87 g/kg Rat

Rat IV LD50 590

Butylated hydroxytoluene

Oral LD50 1700 mg/kg Rat LD50 650 mg/kg Mouse Oral Oral LD50 890 mg/kg

Mouse Intraperitoneal LD 50 138 mg/kg

Polysorbate 80

Oral LD50 25 g/kg

Cholecalciferol (Vitamin D3)

Oral LD50 42 mg/kg

Sub-tenon injection (eye) LD 50 136 mg/kg Mouse

Rat Inhalation LC50/4h 0.13-0.38mg/L

Dermal LD50 61-185mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Propanol

Eye Irritation Rabbit Severe

Butylated hydroxytoluene

Eye Irritation Rabbit Moderate Skin Irritation Rabbit Moderate

Polyethylene glycol 400

Eve Irritation Rabbit Skin Irritation Rabbit Mild

ZT00287

Material Name: High D 2X Page 8 of 11 Revision date: 28-May-2014 Version: 1.0

11. TOXICOLOGICAL INFORMATION

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Butylated hydroxytoluene

4 Week(s) Rat Oral 5185 mg/kg LOAEL

Liver, Kidney, Ureter, Bladder 4 Day(s) Mouse Oral 2000 mg/kg LOAEL

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Butylated hydroxytoluene

Embryo / Fetal Development Rat Oral 6 g/kg LOEL Teratogenic

Cholecalciferol (Vitamin D3)

Embryo / Fetal Development 90 mg/kg/day Rat Subcutaneous LOEL Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Cholecalciferol (Vitamin D3)

In Vitro Bacterial Mutagenicity (Ames) Salmonella Negative

Carcinogen Status: None of the other components of this mixture are listed as a carcinogen by IARC, NTP or

OSHA.

Butylated hydroxytoluene

IARC: Group 3 (Not Classifiable)

Product Level Toxicity Data

Acute Toxicity Estimate (ATE), ca. 1800 mg/kg

Acute Toxicity Estimate (ATE), ca. 3049 mg/kg

dermal

Acute Toxicity Estimate (ATE), ca. 6.5 mg/l

inhalation (dust/mist)

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been investigated.

Toxicity: No data available

No data available Persistence and Degradability:

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

Material Name: High D 2X

Revision date: 28-May-2014

Page 9 of 11

Version: 1.0

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

This product may qualify as a RCRA Hazardous Waste. Status should be confirmed by testing for RCRA hazardous characteristics (i.e. corrosivity, toxicity, reactivity, or ignitability). Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Transport according to the requirements of the appropriate regulatory body.

UN number: UN 1274

UN proper shipping name: n-Propanol Solution

Transport hazard class(es): 3
Packing group: |||

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A Class D, Division 2, Subdivision B

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.



Polyethylene glycol 400

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling

Not Listed

Not Listed

Present

Present

Schedule 3

for Drugs and Poisons:

EU EINECS/ELINCS List Not Listed

Material Name: High D 2X
Revision date: 28-May-2014
Page 10 of 11
Version: 1.0

15. REGULATORY INFORMATION

Propanol

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Present

200-746-9

Butylated hydroxytoluene

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

104-881-4

Cholecalciferol (Vitamin D3)

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling

Not Listed

Not Listed

Not Listed

Present

Stendard States TSCA - Sect. 8(b)

Present

Schedule 7

for Drugs and Poisons:

EU EINECS/ELINCS List 200-673-2

EU Export and Import Restrictions (EC No. 689/2008): Banned as a pesticide in the group of plant protection products

Polysorbate 80

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Specific target organ toxicity, single exposure; Narcotic effects-Cat.3; H336 - May cause drowsiness and dizziness

Flammable liquids-Cat.2; H225 - Highly flammable liquid and vapor

Serious eye damage/eye irritation-Cat.1; H318 - Causes serious eye damage

Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed

Acute toxicity, dermal-Cat.3; H311 - Toxic in contact with skin

Acute toxicity, inhalation-Cat.2; H330 - Fatal if inhaled

Specific target organ toxicity, repeated exposure-Cat.1; H372 - Causes damage to organs through prolonged or repeated exposure

F - Highly flammable

Xi - Irritant

T - Toxic

T+ - Very toxic

Material Name: High D 2X
Revision date: 28-May-2014
Page 11 of 11
Version: 1.0

R11 - Highly flammable.

R41 - Risk of serious damage to eyes.

R67 - Vapors may cause drowsiness and dizziness.

R26 - Very toxic by inhalation.

R24/25 - Toxic in contact with skin and if swallowed.

R48/25 - Toxic: danger of serious damage to health by prolonged exposure if swallowed.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: New data sheet.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet
