

Version: 2.0 Revision date: 04-Sep-2013 Page 1 of 8

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

**Product Identifier** 

Material Name: STRONGID C (Pyrantel tartrate)

**STRONGID Trade Name: Chemical Family:** Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Veterinary product used as anti-worm agent (anthelmintic) Intended Use:

Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem **Belgium** 

**Emergency telephone number: Emergency telephone number:** 

CHEMTREC (24 hours): 1-800-424-9300 **Contact E-Mail:** 

VMIPSrecords@zoetis.com

International CHEMTREC (24 hours): +1-703-527-3887

## 2. HAZARDS IDENTIFICATION

Dark green and Mottled brown pellets, with characteristic odor Appearance:

Classification of the Substance or Mixture

**GHS - Classification** Not classified as hazardous

**EU Classification:** 

EU Indication of danger: Not classified

**Label Elements** 

**Hazard Statements:** Not classified in accordance with international standards for workplace safety.

Other Hazards

**Short Term:** May be harmful if swallowed. (based on components) .

Repeat-dose studies in animals have shown a potential to cause adverse effects on Long Term:

gastrointestinal system and central nervous system.

**Known Clinical Effects:** Ingestion of this material may cause effects similar to those seen in clinical use including

> nausea, vomiting, abdominal cramps, anorexia, diarrhea, and constipation. Occasional, transient changes reported in liver function tests, but no liver damage seen. Central nervous system effects such as dizziness, headache, insomnia, irritability and weakness have also

been reported.

**Australian Hazard Classification** 

(NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Material Name: STRONGID C (Pyrantel tartrate) Page 2 of 8 Revision date: 04-Sep-2013 Version: 2.0

Note: This document has been prepared in accordance with standards for workplace safety, which

requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Hazardous**

Ingredient	CAS Number	EU	EU Classification	GHS	%
_		EINECS/ELINCS		Classification	
		List			
Pyrantel tartrate	33401-94-4	251-501-8	Not Listed	Not Listed	1.1
Mineral oil, white	8042-47-5	232-455-8	Not Listed	Not Listed	*
PROPIONIC ACID %	79-09-4	201-176-3	C; R34	Skin Corr. 1B	0.1
				(H314)	

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Non-hazardous ingredients	NOT APPLICABLE		Not Listed	Not Listed	*

**Additional Information:** \* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

## 4. FIRST AID MEASURES

Description of First Aid Measures

**Eye Contact:** Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

**Skin Contact:** Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Identification and/or Section 11 - Toxicological Information. **Exposure:** 

**Medical Conditions** Aggravated by Exposure:

None known

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

## 5. FIRE-FIGHTING MEASURES

Use carbon dioxide, dry chemical, or water spray. **Extinguishing Media:** 

Material Name: STRONGID C (Pyrantel tartrate)

Revision date: 04-Sep-2013 Version: 2.0

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Emits toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides and other

**Products:** sulfur-containing compounds.

Fire / Explosion Hazards: Dust can form an explosive mixture in air. Fine particles (such as dust and mists) may fuel

fires/explosions.

**Advice for Fire-Fighters** 

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear. Evacuate area and fight

fire from a safe distance.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

### **Environmental Precautions**

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

### Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source of spill if it is safe to do so. Collect spilled material by a method that

Collecting: controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

dry solids. Clean spill area thoroughly.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency

situations immediately. Clean up operations should only be undertaken by trained personnel.

Page 3 of 8

## 7. HANDLING AND STORAGE

### **Precautions for Safe Handling**

Minimize dust generation and accumulation. If tablets or capsules are crushed and/or broken, avoid breathing dust and avoid contact with eyes, skin, and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

### Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store at room temperature in properly labeled containers. Keep away from heat, sparks and

flames.

Specific end use(s): No data available

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

**Pyrantel tartrate** 

Zoetis OEL TWA 8-hr 300µg/m<sup>3</sup>

Mineral oil, white

ACGIH Threshold Limit Value (TWA) 5 mg/m<sup>3</sup>

ACGIH Threshold Limit Value (STEL) 10 mg/m<sup>3</sup> (oil mist)

\_\_\_\_\_

Page 4 of 8

Material Name: STRONGID C (Pyrantel tartrate)

Revision date: 04-Sep-2013 Version: 2.0

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PROPIONIC ACID %	
ACGIH Threshold Limit Value (TWA)	10 ppm
Australia TWA	10 ppm
	30 mg/m <sup>3</sup>

 Austria OEL - MAKs
 10 ppm

 31 mg/m³
 31 mg/m³

 Belgium OEL - TWA
 10 ppm

Bulgaria OEL - TWA 31 mg/m³

Bulgaria OEL - TWA 31.0 mg/m³
10 ppm

**Cyprus OEL - TWA**10 ppm
31 mg/m<sup>3</sup>

 Czech Republic OEL - TWA
 30 mg/m³

 Denmark OEL - TWA
 10 ppm

 Stonia OEL - TWA
 10 ppm

 Finland OEL - TWA
 31 mg/m³

 10 ppm
 31 mg/m³

France OEL - TWA 10 ppm

31 mg/m³

Germany - TRGS 900 - TWAs

10 ppm
31 mg/m³

 Germany (DFG) - MAK
 10 ppm

 31 mg/m³
 31 ppm

 Greece OEL - TWA
 10 ppm

| 30 mg/m<sup>3</sup> | Hungary OEL - TWA | 31 mg/m<sup>3</sup> | Ireland OEL - TWAs | 10 ppm |

231 mg/m<sup>3</sup> **Lithuania OEL - TWA**10 ppm

10 ppm

Luxembourg OEL - TWA

10 ppm

31 mg/m³

Luxembourg OEL - TWA

10 ppm

31 mg/m<sup>3</sup>

Malta OEL - TWA 10 ppm
31 mg/m<sup>3</sup>

 Netherlands OEL - TWA
 31 mg/m³

 Poland OEL - TWA
 30 mg/m³

 Portugal OEL - TWA
 10 ppm

 Romania OEL - TWA
 10 ppm

 31 mg/m³
 31 mg/m³

31 mg/m³

Slovakia OEL - TWA

10 ppm
31 mg/m³

Slovenia OEL - TWA

10 ppm

**Spain OEL - TWA**31 mg/m<sup>3</sup>
10 ppm
31 mg/m<sup>3</sup>

D700007

Material Name: STRONGID C (Pyrantel tartrate)

Revision date: 04-Sep-2013

Page 5 of 8

Version: 2.0

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Sweden OEL - TWAs 10 ppm

30 mg/m<sup>3</sup>

Switzerland OEL -TWAs 10 ppm

30 mg/m<sup>3</sup>

**Exposure Controls** 

**Engineering Controls:** Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

**Personal Protective** 

Refer to applicable national standards and regulations in the selection and use of personal

**Equipment:** protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

**Eyes:** Wear safety glasses or goggles if eye contact is possible.

**Skin:** Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate

respirator with a protection factor sufficient to control exposures to below the OEL.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Pellets Color: Dark green and mottled

brown

Odor: No data available. Odor Threshold: No data available.

Molecular Formula: Mixture

Molecular Weight: Mixture

Solvent Solubility:
Water Solubility:
PH:
No data available
No data available
No data available.
No data available
No data available.
Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

**Decomposition Temperature (°C):** No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

Viscosity:

No data available
No data available
No data available
No data available

Flammablity:

Autoignition Temperature (Solid) (°C):No data availableFlammability (Solids):No data availableFlash Point (Liquid) (°C):No data availableUpper Explosive Limits (Liquid) (% by Vol.):No data availableLower Explosive Limits (Liquid) (% by Vol.):No data available

## 10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable

Page 6 of 8

Material Name: STRONGID C (Pyrantel tartrate)

Revision date: 04-Sep-2013 Version: 2.0

10. STABILITY AND REACTIVITY

**Possibility of Hazardous Reactions** 

Oxidizing Properties: None

Conditions to Avoid: Not determined

**Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

**Products:** 

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The information included in this section describes the potential hazards of the individual

ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

**Pyrantel tartrate** 

Rat Oral LD50 170 mg/kg Mouse Oral LD50 175mg/kg

Mineral oil, white

Rat Oral LD50 > 5000 mg/kg

Mineral oil, white

Skin Irritation Rabbit Slight Eye Irritation Rabbit Slight

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

**Pyrantel tartrate** 

13 Week(s) Dog 2 mg/kg/day NOAEL Gastrointestinal System 13 Week(s) Rat Oral 12 mg/kg/day NOEL None identified

2 Year(s) Rat Oral 3 mg/kg/day NOEL Blood 2 Year(s) Dog Oral 3 mg/kg/day NOEL Liver

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

**Pyrantel tartrate** 

Reproductive & Fertility Rat Oral 30 mg/kg/day NOEL No effects at maximum dose

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

**Pyrantel tartrate** 

Bacterial Mutagenicity (Ames) Salmonella Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

\_\_\_\_\_

Material Name: STRONGID C (Pyrantel tartrate)

Revision date: 04-Sep-2013 Version: 2.0

## 12. ECOLOGICAL INFORMATION

**Environmental Overview:** The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

**Toxicity:** No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

## 13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

Page 7 of 8

releases. This may include destructive techniques for waste and wastewater.

## 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

# 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Non-controlled

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

**Pyrantel tartrate** 

CERCLA/SARA 313 Emission reporting

Not Listed
California Proposition 65

Not Listed

\_\_\_\_\_

Material Name: STRONGID C (Pyrantel tartrate)

Revision date: 04-Sep-2013

Page 8 of 8

Version: 2.0

# 15. REGULATORY INFORMATION

EU EINECS/ELINCS List 251-501-8

Mineral oil, white

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Eisted

Not

Non-hazardous ingredients

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

PROPIONIC ACID ... %

**CERCLA/SARA 313 Emission reporting** Not Listed **CERCLA/SARA Hazardous Substances** 5000 lb 2270 kg and their Reportable Quantities: **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present Standard for the Uniform Scheduling Schedule 5 for Drugs and Poisons: Schedule 6 **EU EINECS/ELINCS List** 201-176-3

## **16. OTHER INFORMATION**

### Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage

C - Corrosive

R34 - Causes burns.

**Data Sources:** The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure

Controls / Personal Protection.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet**