



COMPARISON OF COMMON ANTIBIOTICS USED FOR TREATMENT IN DAIRY CATTLE

	EXCEDE® <i>(ceftiofur crystalline-free acid)</i>	POLYFLEX® <i>(ampicillin)</i>
INDICATED FOR ACUTE METRITIS	Yes	No
METRITIS DOSE	1.5 mL/100 lb.	Not indicated for acute metritis
NUMBER OF DOSES TO TREAT ACUTE METRITIS	2 doses, 72 hours apart	Not indicated for acute metritis
ADMINISTRATION	SC	IM
MILK WITHHOLDING TIME	0	48 hours
REQUIRES A PEN MOVE	No	Yes
MEAT WITHHOLDING TIME	13 days	6 days
READY TO USE	Yes	No — must be reconstituted
TREATMENT OF BOVINE RESPIRATORY DISEASE	Yes	Yes
TREATMENT OF FOOT ROT	Yes	No
RESIDUE FREE GUARANTEE™*	Yes	No

**DAIRY WELLNESS
MAKES A DIFFERENCE™**

EXCEDE®
(Ceftiofur Crystalline Free Acid)
Sterile Suspension

To learn more about why EXCEDE® is your best choice for treating acute metritis, visit

zoetisUS.com

IMPORTANT SAFETY INFORMATION: People with known hypersensitivity to penicillin or cephalosporins should avoid exposure to EXCEDE. EXCEDE is contraindicated in animals with known allergy to ceftiofur or to the β -lactam group (penicillins and cephalosporins) of antimicrobials. Inadvertent intra-arterial injection is possible and fatal. Do not use in calves to be processed for veal. Pre-slaughter withdrawal time is 13 days following the last dose. See full Prescribing Information, included in this folder.

***Residue Free Guarantee:** If you use a Zoetis-branded ceftiofur product according to label indications, and experience a violative ceftiofur milk or meat residue, Zoetis will compensate you for the beef market value of the animal or purchase the tanker of milk at fair market value. You must purchase the product from a Zoetis-approved supplier, use the product according to label indications, have documentation of the product purchase and treatment records, and have conducted training on appropriate use to ensure proper dose and route of administration of the product. Extra-label use as prescribed by a veterinarian is excluded from the guarantee. If you experience a ceftiofur residue violation after following label indications and the above steps, contact Zoetis Veterinary Medical Information and Product Support (VMIPS) at 800-366-5288 to report the situation.

All trademarks are the property of Zoetis Services LLC or a related company or a licensor unless otherwise noted.

© 2018 Zoetis Services LLC. All rights reserved. EXD-00047

zoetis