

DOSING TABLE

PALLADIA TABLETS

3.25 mg/kg (1.48 mg/lb)*

Dog Body Weight		Dose	Number of Tablets		
Pounds	Kilograms		10 mg	15 mg	50 mg
11.0 - 11.8	5.0 - 5.3	15 mg		1	
11.9 - 15.2	5.4 - 6.9	20 mg	2		
15.3 - 18.5	7.0 - 8.4	25 mg	1	1	
18.6 - 22.0	8.5 - 10.0	30 mg		2	
22.1 - 25.4	10.1 - 11.5	35 mg	2	1	
25.5 - 28.7	11.6 - 13.0	40 mg	1	2	
28.8 - 32.2	13.1 - 14.6	45 mg		3	
32.3 - 35.5	14.7 - 16.1	50 mg			1
35.6 - 38.8	16.2 - 17.6	55 mg	1	3	
38.9 - 42.3	17.7 - 19.2	60 mg	1		1
42.4 - 45.6	19.3 - 20.7	65 mg		1	1
45.7 - 50.7	20.8 - 23.0	70 mg	2		1
50.8 - 59.3	23.1 - 26.9	80 mg		2	1
59.4 - 65.9	27.0 - 29.9	95 mg		3	1
66.0 - 71.2	30.0 - 32.3	100 mg			2
71.3 - 76.3	32.4 - 34.6	110 mg	1		2
76.4 - 79.6	34.7 - 36.1	115 mg		1	2
79.7 - 84.7	36.2 - 38.4	120 mg	2		2
84.8 - 94.8	38.5 - 43.0	130 mg		2	2
94.9 - 105.0	43.1 - 47.6	150 mg			3
105.1 - 110.0	47.7 - 49.9	160 mg	1		3
110.1 - 113.5	50.0 - 51.5	165 mg		1	3
113.6 - 118.6	51.6 - 53.8	170 mg	2		3
118.7 - 128.8	53.9 - 58.4	180 mg		2	3
128.9 - 138.9	58.5 - 63.0	200 mg			4
139.0 - 144.0	63.1 - 65.3	210 mg	1		4
144.1 - 157.6	65.4 - 71.5	215 mg		1	4
157.7 - 173.1	71.6 - 78.5	250 mg			5
173.2 - 177.9	78.6 - 80.7	260 mg	1		5
178.0 - 191.6	80.8 - 86.9	265 mg		1	5
191.7 - 220.5	87.0 - 100.0	300 mg			6

*Administer an initial dosage of 3.25 mg/kg (1.48 mg/lb) body weight, orally every other day. Dose reductions of 0.5 mg/kg (to a minimum dose of 2.2 mg/kg (1.0 mg/lb) every other day) and dose interruptions (cessation of PALLADIA for up to two weeks) may be utilized, if needed, to manage adverse reactions.